

INFORMATION PROVIDING SYSTEM  
FOR PROVIDING INFORMATION ABOUT PROCUREMENT

BACKGROUND OF THE INVENTION

5 Field of the Invention

The present invention relates to an information providing technology, and more specifically to the information providing technology for providing information about parts, materials, etc.

10 Related Background Art

A relatively large company has a plurality of factories. Each factory has its own ordering systems for parts or materials, and does not understand the situation of the ordering system of other factories.

15 Each factory can purchase parts or materials from different suppliers or the same supplier at different unit prices. In addition, in the above mentioned ordering system, transactions can be made using order sheets and slips of paper in many cases.

20 A development division of a company has the following problems. (1) A division is not informed of the parts or materials of other factories. (2) A division has a small selection of parts and materials. (3) A division has little information about substitute parts or materials. (4) A division cannot quickly  
25 obtain new product information.

A procurement division of a company has the

09781889 034201  
F02720 6878260

following problems. (1) A division is not informed of the unit price and the supplier of the same parts or material of each factory. (2) A division has little information about substitute parts or materials. (3) A division is not informed of the capacity (for example, production type, amount of production, etc.) and circumstance of a supplier. (4) A division is not informed of the purchase situation of the entire company group.

#### SUMMARY OF THE INVENTION

The present invention aims at providing a system capable of easily and quickly providing information about parts, materials, suppliers, etc.

To attain this, the information providing system according to the present invention includes a parts information providing system and a price information providing system, in which the parts information providing system includes a parts database storing parts information, first designating means for designating parts, and first display control means for searching the database for the parts information corresponding to the parts designated by the first designating means, and displaying the information on display means, and the price information providing system includes a price database storing the price information about parts and/or products transacted

among a plurality of bases, second designating means  
for designating parts and/or products, and second  
display control means for displaying the price  
information about the parts and/or products designated  
5 by the second designating means on the display means.

The information providing system according to the  
present invention includes a material information  
providing system and a price information providing  
system, in which the material information providing  
10 system includes a material database storing material  
information, first designating means for designating  
materials, and first display control means for  
searching the material database for the material  
information corresponding to the materials designated  
15 by the first designating means, and displaying the  
information on display means, and the price information  
providing system includes a price database storing the  
price information about materials transacted among a  
plurality of bases, second designating means for  
20 designating materials, and second display control means  
for displaying the price information about the  
materials designated by the second designating means on  
the display means.

The information providing system also includes a  
25 parts number information providing system and a price  
information providing system, in which the parts number  
information providing system includes a first database

097899-021301

storing purchase record information, and unit price  
history information and/or order schedule information,  
first designating means for designating parts number,  
and first display control means for searching the first  
5 database for purchase record information, and unit  
price history information and/or order schedule  
information corresponding to the parts number  
designated by the first designating means, and  
displaying the information on display means, and

10 the price information providing system includes a  
price database storing the price information about  
parts, products, and/or materials transacted among a  
plurality of bases, second designating means for  
designating parts, products and/or materials, and  
15 second display control means for displaying the price  
information about the parts, products and/or materials  
designated by the second designating means on the  
display means.

The information providing system according to the  
20 present invention also includes a parts information  
providing system and a supplier information providing  
system, in which

the parts information providing system includes a  
first database storing parts information, product  
25 information, material information, purchase record  
information, unit price history information and/or  
order schedule information, first designating means for

109781889 024204



designating parts, products, materials and/or parts numbers, and first display control means for searching the database for the parts information, product information, material information, purchase record information, unit price history information and/or order schedule information corresponding to the parts, products, materials and/or parts numbers designated by the first designating means, and displaying the information on display means, and

10           the supplier information providing system includes a supplier database storing the information about suppliers, second designating means for designating suppliers, and second display control means for displaying the information about the suppliers  
15 designated by the second designating means on the display means.

The information providing system also includes a parts information providing system and a bulletin board information providing system, in which

20           the parts information providing system includes a first database storing parts information, product information and/or material information, first designating means for designating parts, products and/or materials, and first display control means for  
25 searching the database for the parts information, product information and/or material information corresponding to the parts, products and/or materials

09734889 024204

designated by the first designating means, and  
displaying the information on display means, and

the bulletin board information providing system  
includes a relation database storing the information  
5 about parts, products, and/or materials, second  
designating means for designating parts, products,  
and/or materials, and second display control means for  
displaying the information about the parts, products,  
and/or materials designated by the second designating  
10 means on the display means.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of the configuration of  
the procurement system according to an embodiment of  
15 the present invention;

FIG. 2 is a flowchart of the process of the  
procurement system according to an embodiment of the  
present invention;

FIG. 3 is a block diagram of the configuration of  
20 the electronic parts system according to an embodiment  
of the present invention;

FIG. 4 shows the outline of the contents of the  
database of the electronic parts system;

FIG. 5 is a flowchart of the process of the  
25 electronic parts system;

FIG. 6 is a detailed flowchart of the searching  
process by parts number shown in FIG. 5;

0974669-03201

FIG. 7 is a detailed flowchart of the linking process shown in FIG. 6;

FIG. 8 is a detailed flowchart the external database information searching process shown in FIG. 5;

5        FIG. 9 is a detailed flowchart of the exchange rate information process shown in FIG. 5;

FIG. 10 shows a login screen;

FIG. 11 shows a menu screen;

10       FIG. 12 shows a condition input screen used when a searching process is performed by parts number;

FIG. 13 shows a list screen of a search result by parts number;

FIG. 14 shows a list screen (continued) of a search result by parts number;

15       FIG. 15 shows a detailed screen of a search result by parts number;

FIG. 16 shows a detailed screen (continued) of a search result by parts number;

20       FIG. 17 shows a list screen of a search result of substitute parts by parts number;

FIG. 18 shows a product/article information screen;

FIG. 19 shows a list screen of order schedule information by parts number;

25       FIG. 20 shows a verification unit price history information screen;

FIG. 21 shows a condition input screen when

097400-0304  
PAGE 00000000

5  
10  
15  
20  
25

FIG. 23 shows an intermediate classification selection screen when searching external database information;

FIG. 25 shows a list screen of a search result of external database information;

FIG. 27 shows a semiconductor and liquid crystal market price screen;

FIG. 29 shows an exchange rate transition screen;

FIG. 31 shows the outline of the contents of the database of a material system;

FIG. 33 is a detailed flowchart of the material unit price information process shown in FIG. 32;

FIG. 34 is a detailed flowchart of the material

5  
10  
15  
20  
25

5

10

15

20

25

an overseas factory actual unit price information process;

FIG. 49 shows an exchange rate screen of an overseas factory actual unit price information process;

5        FIG. 50 shows a search screen of a use information process by parts number;

FIG. 51 shows a search result screen of a use information process by parts number;

10       FIG. 52 shows a products information screen of a use information process by parts number;

FIG. 53 shows a search screen of a detailed material cost information process by parts number;

FIG. 54 shows a search result screen of a detailed material cost information process by parts number;

15       FIG. 55 shows a products information screen of a detailed material cost information process by parts number;

FIG. 56 shows a search screen of a summary information process by material;

20       FIG. 57 shows a price information screen of summary information process by material;

FIG. 58 shows a weight information screen of a summary information process by material;

25       FIG. 59 shows a search screen of a specification information process;

FIG. 60 shows a list screen of a search result of a specification information process;

09784889-03260  
FIG. 50

FIG. 61 shows a detailed screen of a search result of a specification information process;

FIG. 62 shows a search screen of a color approval information process;

5        FIG. 63 shows a search result screen of a color approval information process;

FIG. 64 shows a comment screen of a color approval information process;

10       FIG. 65 is a block diagram of the configuration of a cost cutting supporting system according to the present invention;

FIG. 66 shows the outline of the contents of a database of a cost cutting supporting system according to the present embodiment;

15       FIG. 67 is a flowchart of the process of the cost cutting supporting system;

FIG. 68 shows a login screen;

FIG. 69 shows a verification data list screen;

FIG. 70 shows a verification data screen;

20       FIG. 71 shows a verification data screen;

FIG. 72 shows a verification data screen;

FIG. 73 is a block diagram of the configuration of the procurement record system according to the present embodiment;

25       FIG. 74 shows the outline of the contents of the database of the procurement record system;

FIG. 75 is a flowchart of the process of the

0079189 031001  
002220 031001

procurement record system;

FIG. 76 is a flowchart of the procurement record searching process;

FIG. 77 shows a login screen;

5 FIG. 78 shows a menu screen;

FIG. 79 shows a procurement record search screen;

FIG. 80 shows a collection method selection area;

FIG. 81 shows a condition input area and a condition input auxiliary screen area;

10 FIG. 82 shows a procurement record search result screen;

FIG. 83 shows a search condition display area;

FIG. 84 shows a collection result area;

15 FIG. 85 is a flowchart of the process of the procurement record data management system;

FIG. 86 shows a menu screen;

FIG. 87 shows a term processing screen;

20 FIG. 88 is a block diagram of the configuration of the supplier card information system according to the present embodiment;

FIG. 89 shows the outline of the contents of the database of the supplier card information system;

FIG. 90 is a flowchart of the process of the supplier card information system;

25 FIG. 91 is a flowchart of the supplier card information searching process;

FIG. 92 shows a login screen;

007010001024001



FIG. 94 shows a supplier card information search screen;

FIG. 96 shows the correspondence between a year, a corporation, and a supplier:

FIG. 97 is a block diagram of the configuration of the supplier map system according to the present embodiment;

FIG. 99 is a flowchart of the process of the supplier map system;

FIG. 101 shows a registration status display screen;

20           FIG. 103 shows a search condition/result display  
screen:

FIG. 105 shows a map display screen;

25 FIG. 107 shows a secondary machining screen;

FIG. 108 shows a path search (selection) screen;

FIG. 109 shows a path search (input) screen;

5

0

15

20

FIG. 119 shows a clerk information registration screen;

FIG. 120 is a flowchart of the process of the supplier sales system;

FIG. 121 is a flowchart of the process of the supplier sales system;

FIG. 122 is a login screen;

25

FIG. 124 shows a sales information search screen;

FIG. 125 shows a sales information detailed

screen;

FIG. 126 shows a substitute parts information search screen;

FIG. 127 shows a code help screen;

5       FIG. 128 shows a substitute parts information list screen;

FIG. 129 shows a welcome news information list screen;

10       FIG. 130 shows a welcome news information search screen;

FIG. 131 shows a welcome news information detailed screen;

FIG. 132 shows a clerk information search screen;

FIG. 133 shows a clerk information list screen;

15       FIG. 134 shows a clerk information detailed screen;

FIG. 135 is a block diagram of the configuration of the bulletin board e-mail system according to the present embodiment;

20       FIG. 136 is a flowchart of the process of the bulletin board information providing system;

FIG. 137 is a detailed flowchart of the computer conference process;

25       FIG. 138 is a detailed flowchart of a process by category;

FIG. 139 shows a login screen;

FIG. 140 shows a menu screen of the bulletin board

09781889-021201

information providing system;

FIG. 141 shows a menu screen of the computer conference;

FIG. 142 shows a screen by category;

5 FIG. 143 shows a opinion contents screen;

FIG. 144 shows a response screen;

FIG. 145 shows a new opinion screen;

FIG. 146 shows a registration screen;

FIG. 147 shows a member list screen;

10 FIG. 148 shows a conference information screen;

FIG. 149 shows a detailed screen of conference information;

FIG. 150 is a flowchart of the process of a supplier evaluation system;

15 FIG. 151 shows an evaluation input screen of a supplier;

FIG. 152 is a flowchart of the process of a supplier evaluation system;

20 FIG. 153 shows a supplier evaluation result screen;

FIG. 154 is a block diagram of the configuration of an entire parts number system according to the present embodiment;

25 FIG. 155 shows the outline of the contents of the database of the entire parts number system.

FIG. 156 is a flowchart of the process of the entire parts number system;

09781889-021201

FIG. 157 shows a login screen;

FIG. 158 shows a menu screen;

FIG. 159 shows a purchase (verification) record latest information search screen;

5        FIG. 160 shows a purchase (verification) record latest information list screen;

FIG. 161 shows a purchase (verification) record history information screen;

10       FIG. 162 shows a unit price history latest information search screen;

FIG. 163 shows a unit price history latest information list screen;

FIG. 164 shows a unit price history information screen;

15       FIG. 165 shows an order schedule information search screen;

FIG. 166 shows an order schedule information list screen;

20       FIG. 167 shows an exchange rate latest information list screen;

FIG. 168 shows an exchange rate history information screen; and

FIG. 169 shows a code help screen.

25       DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Hereafter, embodiments of the present invention will be described based on drawings. FIG. 1 is a block

09784889 021204

diagram showing configuration of procurement system (the Procurement Information Providing System) 13 and purchase system 21 according to the embodiments of the present invention. Purchase system 21 has ordering system 22 and product management system 23.

Procurement system 13 has parts information system (the Parts Information Providing System) 11, cost cutting support system 5, procurement record system 6, supplier system 12, supplier sales system 9 and bulletin board mail system 10. Parts information system 11 has electronic parts system 1, material system 2, mechanical parts system 3 and all part number system 4. Supplier system 12 has supplier card information system 7 and supplier map system 8.

Electronic parts system 1 has data base (hereinafter recited as D/B) 1a, material system 2 has D/B 2a, mechanical parts system 3 has D/B 3a, all part number system 4 has D/B 4a, cost cutting support system 5 has D/B 5a, procurement record system 6 has D/B 6a, supplier card information system 7 has D/B 7a, supplier map system 8 has D/B 8a, and supplier sales system 9 has D/B 9a. It is not absolutely necessary to prepare these databases 1a to 9a for each individual system, but they may be shared as a single database by the systems. Preparing databases individually allows search in a database at high speed, and sharing a database allows waste of having overlapping data to be

09731889 "024204

eliminated.

Electronic parts system 1 is a system providing a user with electronic parts (including semiconductors) procurement information (including spec and quality information). Material system 2 is a system providing a user with procurement information on materials for molds and press parts. Mechanical parts system 3 is a system providing a user with procurement information on mechanical parts. All part number system 4 is a system providing a user with procurement information on all part numbers (all parts). Cost cutting support system 5 is a system providing a user with price difference information on the same parts or material among businesses. Procurement record system 6 is a system providing a user with aggregation information on procurement records of the user's own group. Supplier card information system 7 is a system providing a user with card information on a supplier (supplier information). Supplier map system 8 is a system providing a user with map information (location information) on a supplier, facilities held by a supplier (processing facilities) and its business relationships with other companies (secondary subcontractor). Supplier sales system 9 is a system providing a user with sales information registered by suppliers and manufacturers. Bulletin board mail system 10 is a system providing a user with a variety

09781889-021204

of information by a bulletin board and mail.

User computer 31 is a personal computer for instance, which can only be used by a registered user. A user is an employee of a particular department of the company for instance, and is allowed to exploit procurement system 13 by using computer 31. However, information to be provided is limited according to a department that the user belongs to. The user may exploit procurement system 13 by Web browser software (Netscape or Internet Explorer) in computer 31 for instance.

Procurement system 13 is an information support system for promptly and efficiently selecting and procuring parts and materials worldwide. A user can search for procurement information on WWW (world wide web) from computer 31.

A large company often has a plurality of offices, and orders for parts or materials are received and placed by each individual office on its own. The respective offices may purchase parts or materials at different prices from different suppliers or the same supplier. Ordering system 22 acquires trade information on the offices and allows parts or materials to be purchased at prices as low as possible based on such trade information. Ordering system 22 also allows large quantities of parts or materials to be purchased at low prices by collectively receiving

09781889-021201



and placing orders of the offices. To be more specific, ordering system 22 accesses parts information system 11, cost cutting support system 5 and procurement record system 6 and receives and places  
5 orders from and to computer 32 of the supplier.

Procurement system 13 can meet the following requirements in a development department of a company.  
(1) To know parts and materials used by other offices.  
(2) To select most suitable parts and materials from  
10 wide-ranging information. (3) To acquire information on substitutive parts. (4) To acquire new product information early.

Also, procurement system 13 can meet the following requirements in a procurement department of a company.  
15 (1) To know purchase unit prices and suppliers of the offices as to the same parts and materials. (2) To know information on substitutive parts promptly. (3) To know ability (produced types and quantity, for instance) and situation of a supplier. (4) To know  
20 purchase situation of the entire group of the company.

Procurement system 13 can input data from external D/B 34 and register it on databases 1a to 9a. External D/B 34 may be, for instance, the SEMICONDUCTOR INDUSTRY NEWS issued by Sangyo Times, Inc., an external database  
25 (electronic device information service), products or parts catalog information or a database of the offices.

Supplier computer 32 is operated by a person in

TOP SECRET

5           Computer 33 is operated by an information provider  
and provides a variety of information to bulletin board  
mail system 10.

FIG. 2 is a flowchart showing processing of procurement system 13. A user can start procurement system 13 by logging in from computer 31. Step S1 displays a menu of a procurement system on user computer 31. The user can select as a menu item any of the electronic parts system, material system, mechanical parts system, all part number system, cost cutting support system, procurement record system, supplier card information system, supplier map system, supplier sales system and bulletin board mail system, and step S2 determines which system is selected, and according to that selection, it proceeds to steps S3, S4, S5, S6, S7, S8, S9, S10, S11 and S12 respectively and performs a process of each individual system.

Hereafter, the systems in procurement system 13 will be described.

[1. Electronic parts system]

FIG. 3 is a block diagram showing configuration of electronic parts system 1 illustrated in FIG. 1.

Electronic parts system 1 has Web server 1001,  
5 application server 1002, Web DB server 1003, image  
server 1004, CD changer 1005, operation machine 1006,  
DB server for update 1007 and magnetic tape device  
1008. DB server 1003 has D/B 1a (FIG. 1).

10 User computer 31 is a standard personal computer  
as a client for instance, and is capable of accessing  
electronic parts system 1. External D/B 1012 has  
electronic parts specification information and catalog  
image information. Catalog image information is image  
information that is a catalog printed on paper read by  
15 an image scanner. Such information is provided to  
electronic parts system 1 via a CD-ROM or a network.  
Electronic parts specification information is provided  
to operation machine 1006. Catalog image information  
is provided to CD changer 1005.

20 Information source 1015 has recommendation  
information on electronic parts such as semiconductor  
parts and general electronic parts, and that  
information is supplied to operation machine 1006 via a  
floppy disk or a network. Information source 1016 has  
25 quality authorization information on electronic parts  
such as semiconductor parts and condensers, and that  
information is supplied to operation machine 1006 via a

09781889 021201

09781889 021204

floppy disk or a network. Information source 1017  
(Personnel Department) has personnel data, and that  
data is supplied to operation machine 1006 via a floppy  
disk or a network. Personnel data includes information  
5 on personnel change, and electronic parts system 1 can  
automatically change a department to which a registered  
user belongs. It can also erase registration of the  
changed user as required. Semiconductor industry  
newspaper 1018 has market price information of  
10 semiconductor/liquid crystal in Japan, and that  
information is supplied to operation machine 1006 via  
an operator's maintenance or a network. In addition,  
information on substitutive parts for semiconductors on  
sale is supplied to operation machine 1006 via a  
15 magnetic tape or a network. Operation machine 1006  
registers such information on D/B 1a in DB server 1003.  
Moreover, personnel data provided by information source  
1017 is not only provided to electronic parts system 1  
but also provided likewise to other systems such as  
20 material system 2.

Factory and production relation company 1014 has  
verification information, order schedule information,  
unit price history information, composition  
information, product name information, substitutive  
25 parts information, general purchase verification  
information, material master information and so on.  
Such information is data-processed by data processing

5

10

15

20

25

User computer 31 makes various requests to Web server 1001 and receives its responses. Web server 1001 makes various requests to application server 1002

and receives its responses. Application server 1002 makes various requests to DB server 1003 and receives its responses. Web server 1001 stores a computer program and displays a unified menu for a user to

5 select according to the computer program. Application server 1002 stores a computer program and operates electronic parts system 1 according to the computer program. DB server 1003 has D/B 1a and manages registration, deletion, update and search of that D/B  
10 1a.

FIG. 4 is a schematic diagram showing configuration of D/B 1a in DB server 1003. D/B 1a has part number verification achievement information 1aa, product order information 1ab, order schedule  
15 information 1ac, procurance window contact destination information 1ad, substitutive parts by part number information 1ae, entire departments' master unit price information 1af, part quality authorization information 1ag, recommendation parts information 1ah,  
20 semiconductor/liquid crystal market price information 1ai, parts specification information 1aj, part substitutive parts information 1ak, catalog original information (catalog image information) 1al, exchange rate information 1am, user (user ID, password, user's  
25 belonging department, etc.) information 1an and security information 1ao.

FIG. 5 is a flowchart showing processing of

electronic parts system 1, and corresponds to step S3 in FIG. 2. Step SAA1 displays a screen shown in FIG. 10 on user computer 31 waiting for input of a user ID and input of a password. A user can enter a user ID in area 1101 in FIG. 10 and a password in area 1102.

Security can be enhanced and a log-in by an illicit person can be prevented by having user ID 1101 and password 1102 entered.

The following two measures are taken in order to enhance security as displayed in display area 1105.

(1) In the case where there is no access (log-in) for 90 calendar days, the right to access (the right to log in) is automatically erased. In that case, an application for utilization must be submitted again on utilization. (2) A user must change a password once a month for security protection. A password can be changed by clicking on password change button 1104 with a mouse.

Moreover, these two processes for enhanced security are also performed in other systems such as the material system in addition to the electronic parts system.

If a user clicks on log-in button 1103 with a mouse, and if the entered user ID and password are correct, the user is logged in and proceeds to step SAA2.

Step SAA2 displays a menu screen shown in FIG. 11.

Display area 1111 indicates a date of information.  
Display area 1112 indicates a log-in user ID (user ID).  
Display area 1113 indicates a date of log-in. Display  
area 1114 indicates an IP address of log-in. Based on  
5 this IP address, the department to which the user  
belongs can be identified. As the source can be  
identified by the displays of display areas 1112 to  
1114 when a hard copy of the screen is made, it is  
possible to prevent leakage of information to outside.  
10 To be more specific, there is an effect of keeping a  
user from making a hard copy since information on users  
who made a hard copy is displayed. In addition,  
display of "This information should not be presented to  
anyone outside the company" in display area 1115 can  
15 prevent leakage of information to outside.

Menu items 1116 displays "1. Search by part No.",  
"2. Search by type name", "3. External DB information  
search", "4. Search by part No. of substitutive part  
No. (display of No. of a substitutive part) by base and  
20 by parent part number", "5. Unit price master change  
information list", "6. Unit price master history  
information search", "7. Order schedule information  
search by part No.", "8. Order schedule information  
search by type name", "9. Substitutive (in character)  
25 part information search by type name", "10. Search by  
semiconductor and liquid crystal market price", "61.  
Exchange rate information", "SU1. User maintenance" and

00704000 004004  
FOI200 00000000



"SU2. Pre-reference information".

A user maintenance process refers to user information and log information registered on a database, and registers user information and security management. A pre-reference information process sets up information required for system operation.

Display area 1117 indicates the following two items for enhanced security. (1) "Commitment to confidentiality: Duplication of information without permission is prohibited. Also, use by any person other than the employee registered as a user is prohibited". (2) "Punishment according to the office regulations: Information on the procurement system should not be presented to anyone outside the company. If you leak it to outside, you will be punished according to the in-house regulations".

A user can select a desirable item out of the above menu items 1116. If the user selects an item, step SAA3 in FIG. 5 checks which number the user has selected. If No. 1 is selected, step SAA4 performs a search process by a part number. If No. 2 is selected, step SAA5 performs a search process by a type name. If No. 3 is selected, step SAA6 performs a search process of external database information. If No. 10 is selected, step SAA7 performs a search process by market prices of semiconductor and liquid crystal. If No. 61 is selected, step SAA8 processes exchange rate

information. If any other number is selected, step SAA9 performs a process of that number. Details of the processes of steps SAA4 to SAA8 will be explained hereafter.

5           FIG. 6 is a flowchart showing details of a search process by a part number of step SAA4 shown in FIG. 5. This process can search for electronic parts by using a part number as a keyword. Step SAB1 displays on computer 31 a condition input screen shown in FIG. 12.

10          Title area 1125 of FIG. 12 indicates "(1) Search, condition input screen by part No.". Display areas 1111 to 1115 have the same indication as above. Display area 1126 displays "Information of having part number/temporary unit price is not presented", thus

15          masking the information according to the department to which the user belongs and providing only predetermined information. For instance, as for users belonging to the development department, it is possible, by

20          providing no information on having part number/temporary unit price, to prohibit them from designing and making trial calculations based on such information.

          Condition input area 1127 can have a user enter a part No., green authorization considering environmental

25          problems (for instance, whether or not there is a hazardous substance, and whether or not there is recycling), recommendation information (inventory

09781889 021201  
F02T30 688T8260

007491000-03400  
FIG. 10

situation in the prototype department), purchase origin, country name of origin, item and kind code (for instance, a code indicating a semiconductor), supplier code (for instance, a code of a dealer), supplier name, maker code, maker name, and what minimum or maximum amount an actual verification unit price is. In addition to a part number, all or part of the above conditions can be entered. The above conditions can be cleared by clicking on clear button 1129 with a mouse. If search button 1128 is clicked on with a mouse, it proceeds to step SAB3 via step SAB2, and searches for an electronic part meeting the above entered conditions based on D/B 1a. It then proceeds to step SAB4. Moreover, if search button 1128 is not clicked on but any of buttons 1121 to 1124 is clicked on, it proceeds to step SAB10.

Step SAB10 is a process in the case where any of buttons 1121 to 1124 is clicked on. If menu button 1121 is clicked on, it returns to step SAA2 in FIG. 5 to display a menu screen shown in FIG. 11. If back page button 1122 is clicked on, it returns to a preceding screen display. If log-out button 1123 is clicked on, the procurement system comes to an end. If mail button 1124 is clicked on, mail transmission or a check of received mail can be performed.

After the above search, step SAB4 displays a screen listing the search results shown in FIG. 13. If

any of buttons 1121 to 1124 in FIG. 13 is clicked on, it proceeds to step SAB10 via step SAB5 and performs the same process as above. Display areas 1111 to 1115 and 1126 have the same display as above. List display area 1135 displays information on seven electronic parts, for instance, as a result of the search. To be more specific, list display area 1135 displays part No. decided by the company, size, type name decided by the maker, maker name, whether or not there is catalog image information, recommendation (prototype inventory situation), quality authorization, base name (office name), supplier name (dealer name), verification date, verification price, currency, verification amount, drawing No., correction No., process and part order. Moreover, as for quality authorization, "YES" is a pass, "CONDITION" is a conditional pass and "NO" is a failure. When catalog image information is "YES", if the "YES" part is clicked on with a mouse, it shows catalog image information based on D/B 1a (FIG. 4). Catalog image information is image information printed on paper that is read by an image scanner.

The screen continues to the right. If scroll bar switch 1137 is clicked on with a mouse, the screen scrolls to the left. If scroll bar switch 1138 is clicked on with a mouse, the screen scrolls to the right and displays the continued screen shown in FIG. 14. List display area 1135 displays window, country of

origin, kind, function classification No. in addition to the above.

The seven electronic parts in list display area 1135 can be sorted. First, "Part No." is selected for instance as sort item 1132. Next, if sort button 1133 is clicked on with a mouse, it sorts part No. in order in list display area 1135. It is also possible to select and sort an item other than part No. as a sort item.

If "Details screen" is selected as linking screen 1134 shown in FIG. 13 and button 1136 of electronic part No. 6 is clicked on with a mouse, it proceeds to step SAB6 via step SAB5 and searches for detailed information on electronic part No. 6 based on D/B 1a. Next, it proceeds to step SAB7 and displays the screen of detailed information on electronic part No. 6 as shown in FIG. 15. Moreover, it is possible to specify not only the above "Details Screen" but also the same item for linking to screens 1151 to 1154 linked to FIG. 16.

Title area 1141 in FIG. 15 indicates "(1) Search by part No./details screen". Display areas 1111 to 1115 have the same indication as above. Part information area 1144 displays part information including part No., size, process, drawing No., correction No., part name, type name, maker name, country name of origin, function classification,

maintenance schedule and removal schedule.

Specification information area 1145 displays specification information of an external database. In the case there is no specification information, it

5 indicates that there is no specification information as shown in FIG. 15. In the case there is specification information, it displays specification information as shown in FIG. 25 for instance. The specification information shown in FIG. 25 will be described later.

10 Recommendation part information area 1146 displays recommendation rank (rank of prototype inventory situation), box No. and data registration date.

Quality authorization information area 1147 displays quality authorization, comment, function, structure and  
15 scale. This screen continues downward.

If scroll bar switch 1142 is clicked on with a mouse, the screen scrolls upward. If scroll bar switch 1143 is clicked on with a mouse, the screen scrolls downward and the continued screen shown in FIG. 16 is  
20 displayed. The display screen displays the following in addition to the above. Green authorization information area 1148 displays green authorization information, comment and authorization date. Green authorization information is determined by whether or  
25 not friendly to the environment according to presence of a hazardous substance and recycling.

Verification/purchase unit price information area 1149

007000102400  
FOR E23" 007000102400

displays base (office), window, part order,  
verification date, verification amount, master unit  
price showing an estimated price for reference,  
verification unit price, verification price, currency,  
5 unit price classification, unit price condition,  
supplier and item and kind. Moreover, in the case  
where the user belongs to the development department,  
no temporary unit price is displayed for the above-  
mentioned reason.

10 As mentioned above, it is possible to improve  
search speed by displaying the screen listing search  
results first and then displaying the details screen of  
individual electronic part. To be more specific, it is  
possible to perform necessary display as much as  
15 possible on the list screen and then display the  
details screen of individual electronic part one to  
one.

Link to sub-screen area 1150 has the four buttons  
1151 to 1154. If any of buttons 1151 to 1154 is  
20 clicked on with a mouse, it proceeds to step SAB9 via  
step SAB8 and performs a link process. Moreover, if  
any of buttons 1121 to 1124 is clicked on, it proceeds  
to step SAB10 via step SAB8 and performs the same  
process as above.

25 FIG. 7 is a flowchart showing details of a link  
process of step SAB9 shown in FIG. 6. If the first  
button 1151 in FIG. 16 is clicked on with a mouse, it

09781889.024204  
FOOTED.68878.60

proceeds to step SAC2 via a branch process of step SAC1 and searches for substitutive parts information based on D/B 1a. Next, step SAC3 displays the substitutive parts list screen shown in FIG. 17.

5           FIG. 17 shows the substitutive parts list screen. Title area 1161 indicates "List of substitutive parts search results by part No." Display areas 1111 to 1115 have the same indication as above. List display area 1163 displays two pieces of substitutive parts  
10           information on electronic parts for instance. Substitutive parts information in list display area 1163 displays part No., size, supplier name, base name, substitutive part No., substitutive size, substitutive supplier name, substitutive type name, substitutive  
15           maker name, parent part No., size and parent drawing No. It is possible, by displaying substitutive parts information, to know which is a substitute electronic part for an electronic part in the case where, for instance, the electronic part becomes unavailable.  
20           Also, it is possible, by displaying parent part No. and parent drawing No. information, to know which is a product using that electronic part.

          The two electronic parts in list display area 1163 can be sorted. First, "Part No." is selected for  
25           instance as sort item 1161. Next, if sort button 1162 is clicked on with a mouse, it proceeds to step SAC5 via step SAC4 and sorts the electronic parts in order

09781889 021204



5 Moreover, if any of buttons 1121 to 1124 in FIG. 17 is  
clicked on, it proceeds to step SAC12 via step SAC4 and  
performs the same process as step SAB10 in FIG. 6.

If the second buttons 1152 in FIG. 16 is clicked on with a mouse, it proceeds to step SAC6 via a branch process of step SAC1 in FIG. 7 and searches for product/article information based on D/B 1a. Next, step SAC7 displays the product/article information screen shown in FIG. 18.

FIG. 18 shows the product/article information screen. Title area 1171 indicates "Product/article information (product/article order)". Display areas 1111 to 1115 have the same indication as above. Product/article information display area 1172 displays six pieces of product/article information as to a desired part No. (WA5-0000-000 for instance) for instance. To be more specific, product/article information display area 1172 displays order No., order name, provision, base name, number (number of a subject part), model group and product group. It is possible, by displaying product/article information, to know which is a product or an article using that electronic part. It proceeds to the above step SAC12 thereafter,

If the third button 1153 in FIG. 16 is clicked on with a mouse, it proceeds to step SAC8 via a branch process of step SAC1 in FIG. 7 and searches for order  
5 schedule information based on D/B 1a. Next, step SAC9 displays the order schedule information screen shown in FIG. 19.

25           If the fourth button 1154 in FIG. 16 is clicked on  
with a mouse, it proceeds to step SAC10 via a branch  
process of step SAC1 in FIG. 7 and searches for

verification history information based on D/B 1a.  
Next, step SAC11 displays the verification history  
information screen shown in FIG. 20.

FIG. 20 shows the verification history information  
5 screen. Title area 1191 indicates "Verification unit  
price history information (24 generations including the  
current one with no temporary unit price indication)"  
Display areas 1111 to 1115 have the same indication as  
above. Verification unit price history information  
10 display area 1192 displays two pieces of verification  
unit price history information as to a desired company  
base (office A for instance) and a desired part No.  
(WA5-0000-000 for instance) and a desired supplier (AAA  
for instance) for instance. To be more specific,  
15 verification unit price history information area 1192  
displays verification date, verification unit price,  
verification amount, verification money value, drawing  
No., correction No., part order and currency. It is  
possible, by displaying verification unit price  
20 information, to know transition in past verification  
unit prices. It proceeds to step SAC12 thereafter, and  
performs the processes of buttons 1121 to 1124 in FIG.  
20.

If "2. Search by type name" is selected on the  
25 menu screen shown in FIG. 11, it proceeds to a search  
process by type name of step SAA5 shown in FIG. 5, and  
displays a condition input screen shown in FIG. 21.

09781889 021204  
102720 18878260

5 information, quality authorization information, maker  
code, maker name and purchased information can be  
entered in condition input area 1202. In addition to a  
type name, all or part of the above conditions can be  
entered. The above conditions can be cleared by  
0 clicking on clear button 1204 with a mouse. If search  
button 1203 is clicked on with a mouse, it searches for  
an electronic part meeting the above entered conditions  
based on D/B 1a and displays the search results.  
Processing thereafter is the same as step SAA4 of a  
5 search process by the above part No.

Moreover, there may be a subtle difference in a type name between one created by external D/B 34 (FIG. 1) and one made by an in-house database. This is because external D/B 34 uses a type name used in a catalog. In this case, electronic information system 1 has the above two kinds of type name information in D/B 1a, and it displays type names of which part of first digits is identical, regarding them as having a high possibility of being the same type name. A user just has to select matching one out of these candidate type names, and so burden of search is reduced. On that occasion, those not matching with the in-house type

name are only displayed.

If "3. External D/B information search" is selected on the menu screen shown in FIG. 11, it proceeds to search processing of external D/B

5 information of SAA6 shown in FIG. 5. FIG. 8 is a flowchart showing details of search processing of external D/B information of step SAA6 shown in FIG. 5. Step SAD1 displays the major classification selection screen shown in FIG. 22. Title area 1211 of FIG. 22  
10 indicates "(3) External D/B information search - major classification". Major classification selection menu 1212 displays "001. Microcomputer", "002 Peripheral/interface", ..., "015 Optical element" and so on. A user can select one out of major  
15 classification selection menu 1212. If any of buttons 1121 to 1124 or buttons 1213, 1214 is clicked on with a mouse, it proceeds to step SAD12 via step SAD2. In step SAD12, the same process as above is performed as to menu button 1121, back page button 1122, log-out  
20 button 1123 and mail button 1124. When help button 1213 is clicked on with a mouse, it displays help in order to help the user operation. If contact destination button 1214 is clicked, it displays a contact for the electronic part system and contacts of  
25 the procurement departments of the factory/production relation company.

If a user selects "015 Optical element" out of

major classification selection menu 1212, it proceeds to step SAD3 via step SAD2 and displays the intermediate classification (parts) selection screen of "Optical element" shown in FIG. 23. Selecting

5 intermediate classification following major classification allows the user to select a desired electronic part easily and promptly. Title area 1221 in FIG. 23 indicates "(3) External D/B information search - intermediate classification". Intermediate  
10 classification selection menu 1222 displays "01. LED for communication", "03 Laser diode/array", ..., "07 Photo-interrupter" and so on. The user can select one out of intermediate classification selection menu 1222. If any of buttons 1121 to 1124 or buttons 1213, 1214 is  
15 clicked on with a mouse, it proceeds to step SAD12 via step SAD4 and performs the same process as above.

If a user selects "07 Photo-interrupter" for instance out of intermediate classification selection menu 1222, it proceeds to step SAD5 via step SAD4 and  
20 displays the condition input screen of "Photo-interrupter" shown in FIG. 24. Title area 1231 in FIG. 24 indicates "(3) Search by type name/condition input screen". Display areas 1111 to 1115 have the same indication as above. Type name, maker, output form,  
25 light receiving form, input forward voltage, input forward current and so on can be entered in condition input area 1233. The electronic part system has

09701000-02204  
102420-000000

specification information search items of electronic parts supplied from an external database and creates a condition input screen of which conditions are the specification information items. The user can provide an instruction to search only for the electronic parts meeting the conditions by entering the specification information conditions.

The above conditions can be cleared by clicking on clear button 1235 with a mouse. If search button 1234 is clicked on with a mouse, it proceeds to step SAD7 via step SAD6, and searches for an electronic part meeting the above entered conditions based on D/B 1a. It then proceeds to step SAD8. Moreover, if any of buttons 1121 to 1124, 1213 and 1214 in FIG. 24 is clicked on, it proceeds to step SAD12 via step SAD6 and performs the same process as above.

Step SAD8 displays the list of search results screen shown in FIG. 25. Title area 1241 in FIG. 25 indicates "(3) List of external D/B search results (spec)". Display areas 1111 to 1115 have the same indication as above. Error display area 1232 displays error contents in case an error occurs to the search results. For instance, if an electronic part meeting the condition cannot be found, it indicates "No applicable data" in error display area 1232. Total No. display area 1242 displays the number (150 for instance) of electronic parts meeting the condition

(photo-interrupter for instance). List display area 1246 displays first six photo-interrupters out of 150. To be more specific, list display area 1246 displays specification information such as type name, maker,

5 output form, light receiving form, input forward voltage and input forward current. If previous list button 1243 is clicked on with a mouse, it displays a list preceding the currently displayed data. If next list button 1244 is clicked on with a mouse, it  
10 displays a list next to the currently displayed data. If a start number is entered in the column on the left of start number button 1245 and button 1245 is clicked on with a mouse, it displays a list from that number. If button 1247 of electronic part 1 in list display  
15 area 1246 is clicked on, it proceeds to step SAD10 via step SAD9, and searches for part information on electronic part 1 based on D/B 1a. It proceeds to SAD11 thereafter. Moreover, if any of buttons 1121 to 1124 or buttons 1213, 1214 in FIG. 25 is clicked on, it  
20 proceeds to step SAD12 via step SAD9 and performs the same process as above.

Step SAD11 displays the part information screen indicating search results as shown in FIG. 26. Title area 1251 of FIG. 26 indicates "(3) List of external  
25 D/B search results". Display areas 1111 to 1115 have the same indication as above. Error display area 1232, total No. display area 1242, previous list button 1243,

097000-03101  
100000-03101



next list button 1244 and start number button 1245 are the same as above. Linking screen area 1134, sort area 1132 and sort button 1133 are the same as those shown in FIG. 13. List display area 1255 displays the same part information as in list display area 1135 shown in FIG. 13. If "Existence" area 1256 in list display area 1255 is clicked on with a mouse, it displays that catalog image information. If button 1257 of electronic part No. 1 is clicked on, it displays part details information of electronic part No. 1 as shown in FIG. 15 and FIG. 16. It proceeds to step SAD12 thereafter and performs the same process as above.

If "10. Search by semiconductor and liquid crystal market price" is selected on the menu screen shown in FIG. 11, it proceeds to a search process by market prices of semiconductor and liquid crystal of step SAA7 shown in FIG. 5. If a user specifies an item as to semiconductor and liquid crystal, the semiconductor/liquid crystal market price screen shown in FIG. 27 is displayed. Title area 1281 in FIG. 27 indicates "Search by semiconductor/liquid crystal market price/kind list screen". Display areas 1111 to 1115 have the same indication as above. Price display area 1282 displays market prices of seven kinds of a desired item (item A for instance) for instance. To be more specific, it displays kind name, date, lowest market price, highest market price and price trend as

to each individual kind. Price trend indicates upward or downward. If button 1283 of each individual kind is clicked on, it displays past price history of that kind. Moreover, if any of buttons 1121 to 1124 in FIG. 27 is clicked on, it performs the same process as above.

If "61. Exchange rate information" is selected on the menu screen shown in FIG. 11, it proceeds to information processing of exchange rate of step SAA8 shown in FIG. 5. FIG. 9 is a flowchart showing details of information processing of exchange rate of step SAA8. Step SAE1 displays currency list screen shown in FIG. 28. Title area 1261 in FIG. 28 indicates "(61) Exchange rate information/currency list screen".

Display areas 1111 to 1115 have the same indication as above. Currency list display area 1262 displays source currency, target currency, rate and date based on D/B 1a. For instance, 1 Australian dollar (AUD) is 86.04 yen (JPY). For instance, if Australian dollar button 1263 is clicked on, it proceeds to step SAE3 via step SAE2. Moreover, if any of buttons 1121 to 1124 in FIG. 28 is clicked on, it proceeds to step SAE4 via step SAE2 and performs the same process as step SAB10 in FIG. 6.

Step SAE3 displays the exchange rate history screen shown in FIG. 29. Title area 1271 indicates "(61) Exchange rate information (monthly average of the

past 120 months)". Display areas 1111 to 1115 have the same indication as above. History display area 1272 displays history of exchange rate from Australian dollar to Japanese yen for the past 120 months based on D/B 1a. It proceeds to step SAE4 thereafter and performs the same process as above.

It is possible, by displays the exchange rate, to know prices in the case of locally purchasing electronic parts, allowing a comparison between purchasing them locally and purchasing them in Japan to be made. In addition, it allows both a price in a local currency and a price in Japanese yen to be indicated when indicating a unit price of any of the above electronic parts.

As above, electronic parts system 1 can select the most suitable electronic parts in development design and so on. A user in the development department and procurement department can search for a desired electronic part promptly and easily. Cost cutting of electronic parts can be conducted by providing unit price information on electronic parts.

## [2. Material system]

FIG. 30 is a block diagram showing configuration of material system (the Material Information Providing System) 2 shown in FIG. 1. Material system 2 has Web server 2001, application server 2002, Web DB server 2003, operation machine 2006 and DB server for update

2007. DB server 2003 has D/B 2a (FIG. 1). User computer 31 is a standard personal computer as a client for instance, and is capable of accessing material system 2.

5           Information source 2011 has material contract information such as maker codes and unit prices, and that information is supplied to operation machine 2006. Information source (Personnel Department) 2014 has personnel data, and that data is supplied to operation  
10           machine 2006. Personnel data includes information on personnel change, and material system 2 can automatically change a department to which a registered user belongs. It can also erase registration of the changed user as required.

15           Factory and production relation company 2013 has verification information, order schedule information, product-comprising material information, product name information, resin (MO) material information, metal  
20           (PX) material information, verification order schedule information, color approval information, specification information and so on. Such information is supplied to operation machine 2006.

          Operation machine 2006 registers such information on D/B 2a in DB server 2003. Moreover, the above  
25           information should desirably be provided online to operation machine 2006 via a network.

          Operation machine 2006 requests DB server for

FIG. 1

update 2007 to update D/B 2a. DB server for update 2007 creates a data file accordingly and supplies it to operation machine 2006. Operation machine 2006 updates D/B 2a in DB server 2003.

5           User computer 31 makes various requests to Web server 2001 and receives its responses. Web server 2001 makes various requests to application server 2002 and receives its responses. Application server 2002 makes various requests to DB server 2003 and receives  
10   its responses. Web server 2001 stores a computer program and displays a unified menu for a user to select according to the computer program. Application server 2002 stores a computer program and operates  
15   electronic parts system 2 according to the computer program. DB server 2003 has D/B 2a and manages registration, deletion, update and search of that D/B 2a.

FIG. 31 is a schematic diagram showing configuration of D/B 2a in DB server 2003. D/B 2a has  
20   material price information 2aa, past record of material purchase information 2ab, product order information 2ac, past record/estimation of material spending amount (weight) information 2ad, past record of material price information 2ae, estimation of material price  
25   information 2af, material specification information 2ag, color approval information 2ah, user information (user ID, password, user's belonging department, etc.)

2ai, security information 2aj and green approval information considering environmental problems 2ak.

FIG. 32 is a flowchart showing processing of material system 2, and corresponds to step S4 in FIG.

5 2. Step SBA1 displays a log-in screen shown in FIG. 42 on user computer 31 waiting for input of a log-in name (user ID) and input of a password. A user can enter a user ID in area 2101 in FIG. 42 and a password in area 2102. Security can be enhanced and a log-in by an  
10 illicit person can be prevented by having user ID 2101 and password 2102 entered.

A user must change a password once a month for security protection. A password can be changed by clicking on password change button 2104 with a mouse.

15 If a user clicks on log-in button 2103 with a mouse, and if the entered user ID and password are correct, the user is logged in and proceeds to step SBA2.

Step SBA2 displays a menu screen shown in FIG. 43.  
20 Display area 2111 indicates a date of information. Display area 2112 indicates a log-in user ID (user ID). Display area 2113 indicates a date of log-in. As the source can be identified by the displays of display areas 2112 and 2113 when a hard copy of the screen is  
25 made, it is possible to prevent leakage of information to outside. Moreover, as with the case of electronic parts system, an IP address may also be shown in

Menu items 2126 displays "1. Material unit information", "2. Material spending information", "3. Summary information per material type", "4. Specification information", "5. Color approval information", "I. User maintenance" and "II. Preference information". Furthermore, "1. Material unit price information" can be divided into "11. Controlled unit price information", "12. Controlled/substantial unit price information", "13. Actual purchased unit price information" and "14. Overseas unit price information", and "2. Material spending information" can be divided into "21. Spending information per part No." and "22. Itemized material cost information per part No."

Processing of user maintenance refers to user information and log information registered on a database, and registers user information and security management. Processing of preference information sets up information required for system operation.

A user can select a desirable item out of the above menu items 2126. In that case, the user can select it by clicking on MO button 2127 or PX button 2128 and so on with a mouse. MO button 2127 means resin (MO) material. PX button 2128 means metal (PX) material. If the user selects an item, step SBA3 in FIG. 32 checks which number the user has selected. If No. 1 is selected, step SBA4 performs processing of

material unit price information. As for its  
subdivision, as shown in FIG. 33, if No. 11 is  
selected, step SBA10 performs processing of controlled  
unit price information, and if No. 12 is selected, step  
5 SBA11 performs processing of controlled/substantial  
unit price information, and if No. 13 is selected, step  
SBA12 performs processing of actual purchased unit  
price information, and if No. 14 is selected, step  
SBA13 performs processing of oversea unit price  
10 information.

In FIG. 32, if No. 2 is selected, step SBA5  
performs processing of material spending information.  
As for its subdivision, as shown in FIG. 34, if No. 21  
is selected, step SBA14 performs processing of spending  
15 information per part No., and if No. 22 is selected,  
step SBA15 performs processing of itemized material  
cost information per part No.

In FIG. 32, if No. 3 is selected, step SBA6  
performs processing of summary information per material  
20 type. If No. 4 is selected, step SBA7 performs  
processing of specification information. If No. 5 is  
selected, step SBA8 performs processing of color  
approval information. If any other number is selected,  
step SBA9 performs a process of that number. Details  
25 of the processes of steps SBA4 to SBA8 will be  
explained hereafter. Moreover, while a case of  
selecting resin (MO) material will be explained as an

00781889-021211



FIG. 35 is a flowchart showing details of processing of controlled unit price information of step 5 SBA10 shown in FIG. 33. This processing can have controlled unit price information entered, and search for material. Step SBB1 displays the search screen shown in FIG. 44 on computer 31. Title area 2136 in FIG. 44 indicates "11. MO material Controlled unit price information Search screen". Display areas 2112 and 2113 are the same as above.

The above conditions can be cleared by clicking on  
25 condition clear button 2135 with a mouse. If search  
button 2134 is clicked on with a mouse, it proceeds to  
step SBB3 via step SBB2, and searches for material

meeting the above entered conditions based on D/B 2a.  
It then proceeds to step SBB4. Moreover, if search  
button 2134 is not clicked on but any of buttons 2121  
to 2125 is clicked on, it proceeds to step SBB8 via  
5 step SBB2.

Step SBB8 is a process in the case where any of  
buttons 2121 to 2125 is clicked on. As with the case  
of the above electronic parts system, if menu button  
2121 is clicked on, it returns to step SBA2 in FIG. 32  
10 to display a menu screen shown in FIG. 43. If back  
page button 2122 is clicked on, it returns to a  
preceding display screen. If log-out button 2123 is  
clicked on, the procurement system comes to an end. If  
help button 2124 is clicked on, it displays the help  
15 screen. If mail button 2125 is clicked on, mail  
transmission or a check of received mail can be  
performed.

After the above search, step SBB4 displays a  
screen listing the search results shown in FIG. 45.  
20 Title area 2141 indicates "11. M0 material Controlled  
unit price information". Display areas 2112 and 2113  
have the same indication as above. List display area  
2151 displays information of material meeting the  
search conditions. To be more specific, list display  
25 area 2151 displays material type, maker code, maker  
name, grade No., color ID, color No., in-house color  
No. and controlled price range.

00734330 02101  
T02220 0026260

Information in list display area 2151 can be sorted. Items are entered in first sort key 2143, second sort key 2144 and third sort key 2145. Thereafter, if sort in ascending order button 2146 is  
5 clicked on, information is sorted in ascending order, and if sort in descending order button 2147 is clicked on, information is sorted in descending order. For instance, it is possible to have it sorted in order of material type, maker code and grade No.

10 It is also possible to display information continued from inside list display area 2151. If previous list button 2148 is clicked on, it can display material information of a preceding number. If next  
15 list button 2149 is clicked on, it can display material information of a next number. If a number is entered in the area on the left of button 2150 and button 2150 is clicked on, it can display material information from that number. If any of buttons 2121 to 2125 is clicked on, it proceeds to step SBB8 via step SBB5 and performs  
20 the same process as above.

If, for instance, button 2152 of material No. 1 is clicked on, it proceeds to step SBB6 via step SBB5 and searches for details information of material No. 1 based on D/B 2a. Next, it proceeds to step SBB7 and  
25 displays the details information screen of material No. 1 as shown in FIG. 46.

Title area 2155 in FIG. 46 indicates "11. MO

material Controlled unit price details information".  
Display areas 2112 and 2113 have the same indication as  
above. Material information area 2158 displays  
material type, maker code, maker name, grade No., color  
5 ID, color No. and in-house color No. Unit price  
history information area 2159 displays currency unit,  
weight unit, limited supplier type, lot type and date  
and controlled unit price. Specification information  
area 2160 displays characteristics, use, filler, method  
10 (injection), flammability class, thickness, density,  
water absorption, yield strength, elasticity, flexural  
strength and so on.

As mentioned above, it is possible to improve  
search speed by displaying the screen listing search  
15 results first and then displaying the details screen of  
individual material. To be more specific, it is  
possible to perform necessary display as much as  
possible on the list screen and then display the  
details screen of individual material one to one.

20 Next, if go to menu list button 2156 is clicked  
on, it returns to step SBB4 to display a list screen  
shown in FIG. 45. And if go to search menu button 2157  
is clicked on, it returns to step SBB1 and displays the  
search screen shown in FIG. 44. Also, if any of  
25 buttons 2121 to 2125 is clicked on in step SBB8, it  
performs the same process as above.

In FIG. 33, the processing of

0978489 "04101  
1002120 633460

controlled/substantial unit price information in step  
SBA11 can perform a search with controlled unit price  
information or substantial unit price information as a  
search condition. That search processing is the same  
5 as processing of controlled unit price information in  
the above step SBA10. Processing of actual purchased  
unit price information in step SBA12 can perform a  
search with actual purchased unit price information as  
a search condition. That search processing is the same  
10 as processing of controlled unit price information in  
the above step SBA10.

If "14. Overseas unit price information" is  
selected in the menu screen shown in FIG. 43, it  
proceeds to processing of overseas unit price  
15 information of step SBA13 shown in FIG. 33. FIG. 36 is  
a flowchart showing details of processing of overseas  
unit price information of step SBA13 shown in FIG. 33.  
Step SBC1 displays the search screen shown in FIG. 47.  
Title area 2165 indicates "14. MO material Search of  
20 overseas factory actual purchased unit price  
information". Display areas 2112 and 2113 are the same  
as above.

In search condition input area 2166, a user can  
enter code of overseas bases, material type, maker  
25 name, grade No., color ID, color No. and in-house color  
No. In addition to controlled unit price information,  
all or part of the above conditions can be entered.

The above conditions can be cleared by clicking on condition clear button 2168 with a mouse. If search button 2167 is clicked on with a mouse, it proceeds to step SBC3 via step SBC2, and searches for overseas  
5 factory material information meeting the above entered conditions based on D/B 2a. It then proceeds to step SBC4. Moreover, if search button 2167 is not clicked on but any of buttons 2121 to 2125 is clicked on, it proceeds to step SBC8 via step SBC2. Step SBC8 is the  
10 same process as when one of buttons 2121 to 2125 is clicked on as above.

After the above search, step SBC4 displays a screen listing the search results shown in FIG. 48. Title area 2171 indicates "14. MO material Overseas  
15 factory unit price information". Display areas 2112 and 2113 are the same as above. List display area 2175 displays overseas factory material information meeting the search conditions. To be more specific, list display area 2175 displays controlled/actual purchased  
20 unit price, overseas bases, material type, maker name, grade No., color ID, color No. and in-house color No.

Information in list display area 2175 can be sorted. Items are entered in first sort key 2143, second sort key 2144 and third sort key 2145, and if  
25 sort in ascending order button 2146 or sort in descending order button 2147 is clicked on, information is sorted. Also, previous list button 2148, next list

20250308 14:50

button 2149 and start number button 2150 are the same as above. If, for instance, button 2174 of material No. 1 is clicked on, it searches for details information thereon and displays the same details information screen as one shown in FIG. 46. It is possible to improve search speed by displaying the screen listing search results first and then displaying the details screen of individual material.

If any of buttons 2121 to 2125 in FIG. 48 is clicked on, it proceeds to step SBC8 via step SBC5 and performs the same process as above. If go to search menu button 2172 is clicked on, it returns to step SBC1 via step SBC5 and displays the search screen in FIG. 47. If display exchange rate button 2173 is clicked on, it proceeds to step SBC6 via step SBC5 and searches for exchange rate information based on D/B 2a.

Next, step SBC7 displays the exchange rate screen shown in FIG. 49. Title area 2181 indicates "14. MO material Overseas factory unit price Exchange rate". Display areas 2112 and 2113 have the same indication as above. Exchange rate area 2184 displays a currency unit and its exchange rate. For instance, it can display exchange rates of two periods at the time of entering a material unit price. Also an exchange rate of each currency unit can be registered on D/B 2a by entering a currency unit and its exchange rate.

Next, if go to menu list button 2182 is clicked

5 buttons 2121 to 2125 is clicked on, it performs the same process as above in step SBC8.

FIG. 37 is a flowchart showing details of processing of spending information per part No. of step SBA14 shown in FIG. 34. Step SBD1 displays the search screen shown in FIG. 50. Title area 2191 indicates "21  
15 - MO material spending information per part No. search screen". Display areas 2112 and 2113 are the same as above.

In search condition input area 2192, a user can enter corporation code, classification of bases, part No., supplier code, supplier name, material type, maker code, maker name, grade No., color ID, color No. and in-house color No. In addition to part No., all or part of the above conditions can be entered.

25        If corporation code button 2196 is clicked on, it displays table data 2193 on the right. Table data 2193 displays a list of corporation codes. A user can select a desired corporation code out of table data



2193. If a button of any other item is clicked on, it displays table data of that item of which a selection can be made.

5 The above conditions can be cleared by clicking on condition clear button 2195 with a mouse. If search button 2194 is clicked on with a mouse, it proceeds to step SBD3 via step SBD2, and searches for material spending information meeting the above entered conditions based on D/B 2a. It then proceeds to step 10 SBD4. Moreover, if search button 2194 is not clicked on but any of buttons 2121 to 2125 is clicked on, it proceeds to step SBD10 via step SBD2 and performs the same process as step SBC8 in FIG. 36.

15 After the above search, step SBD4 displays a screen listing the search results shown in FIG. 51. Title area 2201 indicates "21 - MO material spending information per part No." Display areas 2112 and 2113 are the same as above. List display area 2204 displays material spending information meeting the search 20 conditions. To be more specific, list display area 2204 displays corporation, classification of bases, base, part No., size, process drawing No., supplier code, supplier name, material type, maker code, maker name and grade No. Furthermore, if the screen is 25 scrolled to the right, display area 2204 displays color ID, color No., in-house color No., actual weight, planned weight, actual money value and schedule money

value.

Material spending information in list display area 2204 can be sorted. Items are entered in first sort key 2143, second sort key 2144 and third sort key 2145, and if sort in ascending order button 2146 or sort in descending order button 2147 is clicked on thereafter, material spending information is sorted. Also, previous list button 2148, next list button 2149 and start number button 2150 are the same as above. If any of buttons 2121 to 2125 is clicked on, it proceeds to step SBD10 via step SBD5 and performs the same process as above. For instance, if button 2203 of material No. 1 is clicked on, it proceeds to step SBD6 via step SBD5.

Step SBD6 searches for product information on material of material No. 1 for instance based on D/B 2a. Next, step SBD7 displays the product information screen shown in FIG. 52. It is possible to know the products using the material by displaying the screen listing search results first and then displaying product information of individual material.

Title area 2211 in FIG. 52 indicates "21. MO material Product information screen". Display areas 2112 and 2113 have the same indication as above. Product information area 2215 displays information of any product using the above indicated part No (FA2-8225-000 for instance). To be more specific, product

information area 2215 displays order No. (product No.), base, order name, number, product group and model group.

Next, if any of buttons 2121 to 2125 is clicked on, it proceeds to step SBD10 via step SBD8 and performs the same process as above. If go to menu list button 2212 is clicked on, it returns to step SBD4 via step SBD8 and displays the list screen shown in FIG.

51. If go to search menu button 2213 is clicked on, it returns to step SBD1 via step SBD8 and displays the search screen shown in FIG. 50. If go to itemized material cost button 2214 is clicked on, it proceeds to step SBD9 via step SBD8 and performs processing of itemized material cost information by part No. This processing of itemized material cost by part No. is the same as the processing of step SBA15 shown in FIG. 34.

If "22 - Itemized material cost information by part No." is selected in the menu screen shown in FIG. 43, it proceeds to processing of itemized material cost information by part No. of step SBA15 shown in FIG. 34. FIG. 38 is a flowchart showing details of processing of itemized material cost information by part No. of step SBA15 shown in FIG. 34 and step SBD9 shown in FIG. 37. Step SBE1 displays the search screen shown in FIG. 53. Title area 2221 indicates "22 - MO material itemized material cost information by part No. search screen". Display areas 2112 and 2113 are the same as above.

In search condition input area 2223, a user can enter corporation code, classification of bases, part No., supplier code, supplier name, material type, maker code, maker name, grade No., color ID, color No. and in-house color No. In addition to part No., all or part of the above conditions can be entered.

As in the above case, if corporation code button 2222 is clicked on, it displays table data 2224 on the right, and a desired corporation code can be selected. If a button of any other item is clicked on, it displays table data of that item of which a selection can be made.

The above conditions can be cleared by clicking on condition clear button 2226 with a mouse. If search button 2225 is clicked on with a mouse, it proceeds to step SBE3 via step SBE2, and searches for itemized material cost information meeting the above entered conditions based on D/B 2a. It then proceeds to step SBE4. Moreover, if search button 2225 is not clicked on but any of buttons 2121 to 2125 is clicked on, it proceeds to step SBE10 via step SBE2 and performs the same process as step SBC8 in FIG. 36.

After the above search, step SBE4 displays a screen listing the search results shown in FIG. 54. Title area 2231 indicates "22. MO material Itemized material cost information by part No." Display areas 2112 and 2113 are the same as above. List display area

2233 displays itemized material cost information meeting the search conditions. To be more specific, list display area 2233 displays corporation, classification of bases, base, part No., size, process drawing No., supplier code, supplier name, material type, maker code, maker name and grade No. Furthermore, if the screen is scrolled to the right, display area 2233 displays color ID, color No., in-house color No., weight classification, material unit price, spending material weight, virgin rate (it is 1 if no recycling material is included), defective rate, material management cost rate, other costs, product weight, additional weight (weight required for any part other than product), taken quantity, setup weight and mold lot.

Itemized material cost information in list display area 2233 can be sorted. Items are entered in first sort key 2143, second sort key 2144 and third sort key 2145, and if sort in ascending order button 2146 or sort in descending order button 2147 is clicked on thereafter, itemized material cost information is sorted. Also, previous list button 2148, next list button 2149 and start number button 2150 are the same as above. If go to search menu button 2232 is clicked on, it returns to step SBE1 via step SBE5 and displays the search screen shown in FIG. 53. Also, if any of buttons 2121 to 2125 is clicked on, it proceeds to step

00704880 024204

SBE10 via step SBE5 and performs the same process as above. Moreover, if button 2234 of material No. 1 is clicked on for instance, it proceeds to step SBE6 via step SBE5.

5           Step SBE6 searches for product information of material No. 1 for instance based on D/B 2a. Next, step SBE7 displays the product information screen shown in FIG. 55. It is possible to know the products using the material by displaying the product information on  
10           the material.

          Title area 2241 in FIG. 55 indicates "22. MO material Product information screen". Display areas 2112 and 2113 have the same indication as above. Product information area 2245 displays information on  
15           any product using the above indicated part No. (FA2-8225-000 for instance). To be more specific, product information area 2245 displays order No. (product No.), base, order name, number, product group and model group.

20           Next, if go to menu list button 2242 is clicked on, it returns to step SBE4 via step SBE8 and displays the list screen shown in FIG. 54. If go to search menu button 2243 is clicked on, it returns to step SBE1 via step SBE8 and displays the search screen shown in FIG.  
25           53. If any of buttons 2121 to 2125 is clicked on, it proceeds to step SBE10 via step SBE8 and performs the same process as above. If spending information button

00781889 021201

2244 is clicked on, it proceeds to step SBE9 via step SBE8 and performs processing of material spending information by part No. This processing of material spending information by part No. is the same as the  
5 above processing of step SBA14 shown in FIG. 34.

If "3. Summary information per material type (31 - Summary information per material type)" is selected on the menu screen shown in FIG. 43, it proceeds to processing of summary information per material type of  
10 step SBA6 shown in FIG. 32.

FIG. 39 is a flowchart showing details of processing of summary information per material type of step SBA6 shown in FIG. 32. Step SBF1 displays the search screen shown in FIG. 56. Title area 2251  
15 indicates "31. MO material Search menu of summary information per material type Search screen". Display areas 2112 and 2113 are the same as above.

In search condition input area 2252, a user can enter material type, maker code, maker name, grade No.,  
20 color ID, color No., in-house color No. and base name using the material. In addition to material type, all or part of the above conditions can be entered.

As in the above case, if material type button 2253 is clicked on, it displays table data 2253 on the  
25 right, and a desired material type can be selected. If a button of any other item is clicked on, it displays table data of that item of which a selection can be

097989 "024204  
0024204

made.

The above conditions can be cleared by clicking on condition clear button 2256 with a mouse. If price button 2254 is clicked on with a mouse, it proceeds to step SBF3 via step SBF2, and searches for material price information meeting the above entered conditions based on D/B 2a. It then proceeds to step SBF4 and displays the price information screen shown in FIG. 57. On the other hand, if weight button 2255 in FIG. 56 is clicked on with a mouse, it proceeds to step SBF6 via step SBF2, and searches for material weight information meeting the above entered conditions based on D/B 2a. It then proceeds to step SBF7 and displays the weight information screen shown in FIG. 58. Moreover, if any of buttons 2121 to 2125 in FIG. 56 is clicked on, it proceeds to step SBF9 via step SBF2 and performs the same process as step SBC8 in FIG. 36.

FIG. 57 shows the price information screen. Title area 2261 indicates "31. MO material Summary information per material type (price)". Display areas 2112 and 2113 have the same indication as above. Price information area 2264 displays price information meeting the search conditions. To be more specific, price information area 2264 displays maker code, material type, grade No., color ID, color No., in-house color No., base, and price of spending material by month (actual and forecast).



Information in price information area 2264 can be sorted. Items are entered in first sort key 2143, second sort key 2144 and third sort key 2145, and if sort in ascending order button 2146 or sort in

5 descending order button 2147 is clicked on thereafter, the information is sorted. Also, previous list button 2148, next list button 2149 and start number button 2150 are the same as above. In addition, if go to search menu button 2262 is clicked on, it returns to  
10 step SBF1 via step SBF5 and displays the search screen shown in FIG. 56. Also, if weight button 2263 is clicked on, it proceeds to step SBF6 via step SBF5 and searches for weight information, and displays the weight information screen shown in FIG. 58 described  
15 next. Moreover, if any of buttons 2121 to 2125 is clicked on, it proceeds to step SBF9 via step SBF5 and performs the same process as above.

FIG. 58 shows the weight information screen. Title area 2271 indicates "31. MO material Summary  
20 information per material type (weight)". Display areas 2112 and 2113 have the same indication as above. Weight information area 2274 displays material weight information meeting the search conditions. To be more specific, weight information area 2274 displays maker  
25 code, material type, grade No., color ID, color No., in-house color No., base, and weight of spending material by month (actual and forecast).

Information in weight information area 2274 can be sorted. Items are entered in first sort key 2143, second sort key 2144 and third sort key 2145, and if sort in ascending order button 2146 or sort in descending order button 2147 is clicked on thereafter, the information is sorted. Also, previous list button 2148, next list button 2149 and start number button 2150 are the same as above. In addition, if go to search menu button 2272 is clicked on, it returns to step SBF1 via step SBF8 and displays the search screen shown in FIG. 56. Also, if price button 2273 is clicked on, it proceeds to step SBF3 via step SBF8 and searches for the above price information, and displays the price information screen shown in FIG. 57. Moreover, if any of buttons 2121 to 2125 is clicked on, it proceeds to step SBF9 via step SBF8 and performs the same process as above.

If "4. Specification information (41 - Specification information)" is selected on the menu screen shown in FIG. 43, it proceeds to processing of specification information of step SBA7 shown in FIG. 32. FIG. 40 is a flowchart showing details of processing of specification information of step SBA7 shown in FIG. 32. Step SBG1 displays the search screen shown in FIG. 59. Title area 2281 indicates "41. MO material Specification information Search menu". Display areas 2112 and 2113 are the same as above.

In search condition input area 2282, a user can enter material type, maker code, maker name, grade No., classification of material control, filler, machining method, classification of flammability, hot runner  
5 record, MF test condition, melt flow, characteristics and application (a copying machine for instance). All or part of the above conditions can be entered.

If material type button 2283 is clicked on, it displays table data 2284 on the right, and a desired  
10 material type can be selected. If a button of any other item is clicked on, it displays table data of that item of which a selection can be made.

The above conditions can be cleared by clicking on condition clear button 2286 with a mouse. If search  
15 button 2285 is clicked on with a mouse, it proceeds to step SBG3 via step SBG2, and searches for material specification information meeting the above entered conditions based on D/B 2a. It then proceeds to step SBG4. Moreover, if any of buttons 2121 to 2125 is  
20 clicked on, it proceeds to step SBG9 via step SBG2 and performs the same process as step SBC8 in FIG. 36.

After the above search, step SBG4 displays a screen listing the search results shown in FIG. 60. Title area 2291 indicates "41. MO material  
25 Specification information". Display areas 2112 and 2113 are the same as above. List display area 2293 displays material specification information meeting the

search conditions. To be more specific, list display area 2293 displays material type, maker code, maker name, grade No., classification of material control, filler, classification of flammability and so on.

5           Information in list display area 2293 can be sorted. Items are entered in first sort key 2143, second sort key 2144 and third sort key 2145, and if sort in ascending order button 2146 or sort in descending order button 2147 is clicked on thereafter, 10   the information is sorted. Also, if go to search menu button 2292 is clicked on, it returns to step SBG1 via step SBG5 and displays the search screen shown in FIG. 59. In addition, if any of buttons 2121 to 2125 is clicked on, it proceeds to step SBG9 via step SBG5 and 15   performs the same process as above. Moreover, if button 2294 of material No. 1 is clicked on for instance, it proceeds to step SBG6 via step SBG5.

Step SBG6 searches for material specification information of material No. 1 for instance based on D/B 20   2a. Next, step SBG7 displays the detailed menu of specification information shown in FIG. 61. Details information is provided only in necessary cases by displaying the screen listing search results first and then displaying the individual details information so 25   as to improve search speed.

Title area 2301 in FIG. 61 indicates "41. MO material Detailed menu of specification information".

Display areas 2112 and 2113 have the same indication as above. Details information area 2302 displays specification details information specified above. To be more specific, specification information area 2302 displays material type, maker code, maker name, grade No., classification of material control, filler, machining method, classification of flammability, hot runner record, characteristics and application, and besides, thickness, flexural strength, flexural elasticity and so on.

Next, if go to controlled unit price menu button 2303 is clicked on, it proceeds to processing of controlled unit price information of step SBA10 in FIG. 33. If controlled/substantial unit price information menu button 2304 is clicked on, it proceeds to processing of controlled/substantial unit price information of step SBA11 in FIG. 33. If go to search menu button 2305 is clicked on, it returns to step SBG1 via step SBG8 and displays the search screen in FIG. 59. If go to menu list button 2306 is clicked on, it returns to step SBG4 via step SBG8 and displays the list screen in FIG. 60. If any of buttons 2121 to 2125 is clicked on, it proceeds to step SBG9 via step SBG8 and performs the same process as above.

If "5. Color approval information (51 - Color approval information)" is selected on the menu screen shown in FIG. 43, it proceeds to processing of color

Color approval is approving by each individual maker as to whether or not a color can be adopted as a unique color representing its product, and only a color determined as a pass can be adopted for a product.

10

15

20

25

conditions based on D/B 2a. It then proceeds to step SBH4. Moreover, if any of buttons 2121 to 2125 is clicked on, it proceeds to step SBH9 via step SBH2 and performs the same process as step SBC8 in FIG. 36.

5           After the above search, step SBH4 displays a screen listing the search results shown in FIG. 63. Title area 2321 indicates "51. MO material Color approval information". Display areas 2112 and 2113 are the same as above. List display area 2327 displays  
10           material color approval information meeting the search conditions. To be more specific, list display area 2327 displays whether or not there are comments, judgment control No., maker code, maker name, material  
15           name, judgment result, judgment date, department, attached data and so on.

Information in list display area 2327 can be sorted. Items are entered in first sort key 2143, second sort key 2144 and third sort key 2145, and if  
20           sort in ascending order button 2146 or sort in descending order button 2147 is clicked on thereafter, the information is sorted. Also, previous list button 2148, next list button 2149 and start number button 2150 are the same as above.

25           If material radio button 2328 of a material No. is clicked on, that material can be selected. After selection, if a next button is clicked on, it performs

processing of the selected material. If comments  
screen button 2322 is clicked on, it proceeds to step  
SBH6 via step SBH5, and searches for comments on color  
approval information of selected material based on D/B  
5 2a. Next, step SBH7 displays the comments screen shown  
in FIG. 64. Also, if go to search menu button 2323 in  
FIG. 63 is clicked on, it returns to step SBH1 via step  
SBH5 and displays the search screen shown in FIG. 62.  
If go to controlled unit price menu button 2324 is  
10 clicked on, it proceeds to processing of controlled  
unit price information of step SBA10 in FIG. 33. If  
controlled/substantial unit price menu button 2325 is  
clicked on, it proceeds to processing of  
controlled/substantial unit price information of step  
15 SBA11 in FIG. 33. If go to actual purchased unit price  
menu button 2326 is clicked on, it proceeds to  
processing of actual purchased unit price information  
of step SBA12 in FIG. 33. If any of buttons 2121 to  
2125 is clicked on, it proceeds to step SBH9 via step  
20 SBH5 and performs the same process as above.

FIG. 64 is the comments screen on color approval  
information. Title area 2331 indicates "51. MO  
material Comments on color approval information".  
Display areas 2112 and 2113 have the same indication as  
25 above. Comments area 2332 displays the comments on  
color approval information of the material specified  
above.



Next, if go to menu list button 2333 is clicked on, it returns to step SBH4 via step SBH8 and displays the list screen shown in FIG. 63. If go to search menu button 2334 is clicked on, it returns to step SBH1 via  
5 step SBH8 and displays the search screen shown in FIG. 62. If go to controlled price unit menu button 2335 is clicked on, it proceeds to processing of controlled unit price information of step SBA10 in FIG. 33. If go to controlled/substantial unit price information menu  
10 button 2336 is clicked on, it proceeds to processing of controlled/substantial unit price information of step SBA11 in FIG. 33. If go to actual purchased unit price menu button 2337 is clicked on, it proceeds to processing of actual purchased unit price information  
15 of step SBA12 in FIG. 33. If any of buttons 2121 to 2125 is clicked on, it proceeds to step SBH9 via step SBH8 and performs the same process as above.

Moreover, as with the electronic parts system, it is possible to display green authorization information  
20 considering environmental problems as to each individual material based on green authorization information 2ak inside D/B 2a in FIG. 31. For instance, green authorization information is authorized considering environmental problems such as whether or  
25 not there is a hazardous substance and whether or not there is recycling. It is also possible to display which product is using the material having

5  
10  
15  
20  
25

[3. Mechanical parts system]

[4. All parts number system]

Factory and production relation company computer

3011 has purchase (verification) record information,  
unit price history information and order schedule  
information, and supplies such information to operation  
machine 3004. Personnel department computer 3012 has  
5 personnel data, and supplies that data to operation  
machine 3004. Personnel data includes information on  
personnel change, and all parts number system 4 can  
automatically change a department to which a registered  
user belongs. It can also erase registration of the  
10 changed user as required.

Operation machine 3004 registers such information  
on D/B 4a in DB server 3003. Moreover, the above  
information should desirably be provided online to  
operation machine 3004 via a network.

15 DB server 3003 manages registration, search,  
deletion and so on for D/B 4a. On receipt of purchase  
record information and so on from factory and  
production relation company computer 3011, operation  
machine 3004 instructs DB server for update 3005 to  
20 update D/B 4a as required. DB server for update 3005  
creates a data file for update and supplies it to  
operation machine 3004. Operation machine 3004 updates  
D/B 4a in DB server 3003 accordingly.

Application server 3002 stores a computer program  
25 and operates all parts number system 4 according to the  
computer program. Web server 3001 stores a computer  
program and performs unified screen display according

5           User computer 31 is a standard personal computer  
as a client for instance, and is capable of making  
various requests to Web server 3001 and receiving its  
responses. User computer 31 can instruct Web server  
3001 to search for and view purchase record information  
10 on a desired part No. Web server 3001 searches for  
purchase record information and so on in D/B 4a via  
application server 3002 and displays that information  
on the screen of user computer 31. The user can  
promptly acquire the desired purchase record  
15 information.

FIG. 156 is a flowchart showing processing of all parts number system 4, and corresponds to processing in step S6 in FIG. 2. Step SCA1 displays a log-in screen shown in FIG. 157 on user computer 31 waiting for input of a user ID and input of a password. A user can enter

5           A user can change a password for security  
protection by clicking on password change button 3104  
with a mouse. If a user clicks on log-in button 3103  
with a mouse, and if the entered user ID and password  
are correct, the user is logged in and proceeds to step  
0       SCA2 in FIG. 156.

If menu button 3121 is clicked on with a mouse, it displays the menu screen shown in FIG. 158. If back page button 3122 is clicked on with a mouse, it returns to a preceding screen display. If log-out button 3123 is clicked on with a mouse, the procurement system comes to an end. If information collecting bases

5

10

15

20

25

FIG. 159 shows the screen displayed by search processing of the latest purchase (acceptance) record information of step SCA4 shown in FIG. 156. Displays in display areas 3111 to 3114 and buttons 3121 to 3126 are the same as above. Part No., green approval information, type name (article name), procurement base, country of origin, item code, supplier code, supplier name, maker code, maker name and range of acceptance unit price (local currency) can be entered in search condition input area 3141. The above conditions can be cleared by clicking on clear button 3144 with a mouse. After entering the search conditions, if search button 3143 is clicked on with a mouse, it searches for the latest purchase (acceptance) record information meeting the above search conditions and proceeds to step SCA5 in FIG. 156. Step SCA5 performs processing of the latest purchase (acceptance) record information list display. Moreover, if "Reference" area of each item in condition input area 3141 is clicked on with a mouse, it proceeds to step SCA3 in FIG. 156 and performs code help processing.

FIG. 169 displays another screen to be displayed  
25 by code help processing of step SCA3 in FIG. 156. This  
screen searches for and displays an item code and so  
on, and makes it easier to enter the above item code in

FIG. 159. Table (an item for instance), search item (a code for instance), matching type (a forward match for instance) and input area (input of data that is a key to a search condition) can be entered in search

5 condition area 3251. After entry, if search button 3252 is clicked on with a mouse, it displays items meeting the search condition in search result area 3253. For instance, search result area 3253 displays a list of item codes and their names. If previous list  
10 button 3152 is clicked on with a mouse, it displays a list preceding the list currently displayed in search result area 3253. If next list button 3153 is clicked on with a mouse, it displays a list next to the list currently displayed in search result area 3253. If a  
15 start number desired to be displayed is entered in input box 3154 and button 3155 is clicked on with a mouse, it displays a list from that start number in search result area 3253. If button 3254 of each item of the search results is clicked on with a mouse, that  
20 item is entered in the above condition input area 3141 in FIG. 159.

FIG. 160 shows the screen displayed by processing of the latest purchase (acceptance) record information of step SCA5 shown in FIG. 156. Displays in display  
25 areas 3111 to 3114 and buttons 3121 to 3126 are the same as above. As a result of a search for the latest purchase (acceptance) record information meeting the



above search conditions, it displays the information in search result area 3162 if applicable information is found, and it indicates "No applicable information" in area 3151 if no applicable information is found.

- 5 Search result area 3162 displays verification date, verification price, currency, verification amount, country of origin, variety, classification of function, drawing No., correction No., process, order, and besides, part No., size, type name, maker, whether or
- 10 not there is an image (using an image of electronic parts system 1), green authorization information, recommendation, approval, base, contact point and supplier. Previous list button 3152, next list button 3153, input box 3154 and button 3155 are the same as
- 15 above.

- To sort the display items in search result area 3162, first sort key 3156, second sort key 3157 and third sort key 3158 can be entered. Thereafter, if sort in ascending order button 3159 is clicked on with
- 20 a mouse, the latest purchase (acceptance) record information is sorted in ascending order using sort keys 3156 to 3158 as keys, and if sort in descending order button 3160 is clicked on with a mouse, the latest purchase (acceptance) record information is
- 25 sorted in descending order using sort keys 3156 to 3158 as keys, and displayed in search result area 3162.

On linking screen 3161, a link target when

20250101 09:00:00

clicking on No. button 3163 of each of the latest  
purchase (acceptance) record information can be  
selected. As a link target, processing of the latest  
purchase (acceptance) record information (step SCA6 in  
5 FIG. 156), processing of the latest unit price  
information list display (step SCA8) or processing of  
order schedule information list display (step SCA10)  
can be selected. For instance, if purchase record  
information is selected as linking screen 3161 and No.  
10 button 3163 is clicked on with a mouse, it proceeds to  
step SCA6 in FIG. 156 and performs processing of the  
latest purchase (acceptance) record information  
(history information including the latest one) about  
that number.

15 FIG. 161 shows the screen displayed by processing  
of the latest purchase (acceptance) record information  
of step SCA6 shown in FIG. 156. Displays in display  
areas 3112 to 3114 and buttons 3121 to 3126 are the  
same as above. The above display areas 2111 may also  
20 be displayed. History information area 3171 displays  
corporation base, contact point, part No., size,  
process, item, part name, supplier, subcontractor code,  
maker, type name, currency name, article code, and  
besides, green authorization information considering  
25 environmental problems and acceptance record history  
information. The above green approval information  
displays approval category, approved name, approval

date and comments. The above acceptance record history information displays acceptance unit price, acceptance amount, acceptance price, drawing No., correction No., small order, order category/name, unit price

5 category/name, set unit price condition, material cost, machining cost, control cost, transportation cost, paid category/name and paid amount for each year and month of acceptance. A user can know acceptance record information on each part No. (a part or a material).

10 FIG. 162 shows the screen displayed by processing of search of the latest unit price history record information of step SCA7 shown in FIG. 156. Displays in display areas 3111 to 3114 and buttons 3121 to 3126 are the same as above. Part No., type name,  
15 procurement base, supplier code, supplier name, maker code, maker name and range of the latest applied date of unit price history can be entered in condition input area 3181. If "Reference" area of each item is clicked on with a mouse, it proceeds to step SCA3 in FIG. 156  
20 and displays code help screen in FIG. 169 described above. The above search conditions can be cleared by clicking on clear button 3184 in FIG. 162 with a mouse. After entering the search conditions, if search button 3183 is clicked on with a mouse, it searches for the  
25 latest unit price history information meeting the search conditions and proceeds to step SCA8 in FIG. 156. Step SCA8 performs processing of the latest unit

00721889 021204  
100720 000720

5

15

25

and performs processing of the unit price history record information (history information including the latest one) about that number.

FIG. 164 shows the screen displayed by processing of unit price history record information of step SCA9 shown in FIG. 156. Displays in display areas 3111 to 3114 and buttons 3121 to 3126 are the same as above. History information area 3201 displays corporation base, contact point, part No., size, process, part name, supplier, subcontractor code, maker, type name, currency name, and besides, green authorization information considering environmental problems and unit price master history information. The above green approval information displays approval category, approved name, approval date and comments. The above unit price master history information displays master unit price, material cost, machining cost, control cost, transportation cost, estimate category code, nonce code, drawing No., correction No., order and registration date for each switch date (of each year). A user can know unit price history record information on each part No. (a part or a material).

FIG. 165 shows the screen displayed by processing of search of order schedule information of step SCA10 shown in FIG. 156. Displays in display areas 3111 to 3114 and buttons 3121 to 3126 are the same as above. As a search condition, part No. 3211 or type name 3212

can be entered. The above search condition can be cleared by clicking on clear button 3214 with a mouse. After entering the search condition, if search button 3213 is clicked on with a mouse, it searches for order  
5 schedule information meeting the search condition and proceeds to step SCA11 in FIG. 156. Step SCA11 performs processing of order schedule information list display.

FIG. 166 shows the screen displayed by processing  
10 of order schedule information list display of step SCA11 shown in FIG. 156. Displays in display areas 3111 to 3114 and buttons 3121 to 3126 are the same as above. As a result of a search for order schedule  
15 information meeting the above search conditions, it displays the information in search result area 3221 if applicable information is found. Search result area 3221 displays part No., size, process, drawing No., type name, maker, corporation base, supplier name, subcontractor code, currency, scheduled amount and  
20 scheduled value of money for each month. Previous list button 3152, next list button 3153, input box 3154, button 3155, sort keys 3156 to 3158, sort in ascending order button 3159, sort in descending order button 3160 and linking screen 3161 are the same as above.

25 FIG. 167 shows the screen displayed by processing of search of the latest exchange rate information list display of step SCA12 shown in FIG. 156. Displays in

09731339-024204

display areas 3111 to 3114 and buttons 3121 to 3126 are the same as above. Exchange rate list area 3231 displays source currency, target currency, rate and date for each currency based on D/B 4a. For instance, 1 Australian dollar (AUD) is 91.85 yen (JPY). If button 3232 of each currency is clicked on with a mouse, it proceeds to step SCA13 in FIG. 156 and performs processing of exchange rate history record information for that currency.

FIG. 168 shows the screen displayed by processing of exchange rate history record information of step SCA13 shown in FIG. 156. Displays in display areas 3111 to 3114 and buttons 3121 to 3126 are the same as above. Exchange rate history area 3241 displays monthly history of the exchange rate from US dollar to Japanese yen for instance. It is possible to convert a local price to Japanese yen by indicating the exchange rate.

As above, all part number system 4 can provide a user with purchase (acceptance) record information, unit price history record information, order schedule information and exchange rate information. As for purchase record information, unit price history record information and order schedule information, information of only applicable ones can be displayed after searching with a desired key.

[5. Cost cutting supporting system]

00784880-004204

FIG. 65 is a block diagram showing configuration of cost cutting supporting system (price information provision system) 5 illustrated in FIG. 1. Cost cutting supporting system 5 has Web server 4001, application server 4002, Web DB server 4003, operation machines 4004 and 4006. DB server 4003 has D/B 5a (FIG. 1).

Each base point (office) 4001 has computer 4012 for storing price information of each base point and user computer 31. Each base point computer 4012 stores price information such as verification unit prices of electronic parts and mechanical parts of its base point and supplies it to operation machine 4004. User computer 31 is a standard personal computer as a client for instance, and is capable of accessing cost cutting supporting system 5.

Personnel department computer 4013 stores personnel data and that data is supplied to operation machine 4004. Personnel data includes information on personnel change, and cost cutting supporting system 5 can automatically change a department to which a registered user belongs. It can also erase registration of the changed user as required.

Moreover, operation machine 4004 should desirably receive the above information online via a network.

On receipt of the above information, operation machine 4004 performs a process for comparing unit

09704000 034204



DB server 4003 has D/B 5a and manages registration, deletion, update and search of that D/B 5a. Application server 4002 stores a computer program and operates cost cutting supporting system 5 according to the computer program. Web server 4001 stores a computer program and performs unified screen display according to the computer program. Web server 4001 makes various requests to application server 4002 and receives its responses. Application server 4002 makes various requests to DB server 4003 and receives its responses. User computer 31 makes various requests to Web server 4001 and receives its responses. For instance, user computer 31 can download price information from Web server 4001, edit the information and upload it to Web server 4001. Web server 4001 supplies the uploaded information to operation machine 4006. Operation machine 4006 automatically collects price information of each base point based on that information and sends it by e-mail to user computer 31.

A user can know prices at which other base points  
25 purchase the same electronic parts and mechanical  
parts. It is also possible to download information  
such as purchase prices at other base points purchasing

at lower prices than the user's base point. The user can negotiate with a supplier over cost cutting based on that information. It is also possible to upload the negotiation results to Web server 4001 so as to prepare a strategy for the next negotiation.

FIG. 66 is a schematic diagram showing configuration of D/B 5a in DB server 4003. D/B 5a has part numbers 5aa, process 5ab, drawing No. 5ac, supplier 5ad, verification (purchase) date 5ae, verification total amount 5af, verification unit price 5ag, exchange rate 5ah, cost cutting information 5ai, master information such as master (estimate) unit price 5aj, user information (user ID, password, user's belonging department, etc.) 5ak and security information 5al for electronic parts and mechanical parts of each base point.

FIG. 67 is a flowchart showing processing of cost cutting supporting system 5, and corresponds to processing of step S7 in FIG. 2. Step SDA1 displays the log-in screen shown in FIG. 68 on user computer waiting for input of a user ID and input of a password. A user can enter a user ID in an area 4101 in FIG. 68 and a password in an area 4102. Security can be enhanced and a log-in by an illicit person can be prevented by having user ID 4101 and password 4102 entered.

The following two measures are taken in order to

09784889 021201

enhance security as displayed in display area 4105.

(1) In the case where there is no access (log-in) for 90 calendar days, the right to access (the right to log in) is automatically erased. In that case, an

5 application for utilization must be submitted again on utilization. (2) A user must change a password once a month for security protection. A password can be changed by clicking on password change button 4104 with a mouse.

10 If a user clicks on log-in button 4103 with a mouse, and if the entered user ID and password are correct, the user is logged in and proceeds to step SDA2.

Step SDA2 displays a list screen shown in FIG. 69.

15 Display area 4111 indicates a date of information. Display area 4112 indicates a log-in user ID (user ID). Display area 4113 indicates a date of log-in. Display area 4114 indicates an IP address of log-in. Based on this IP address, the department to which the user

20 belongs can be identified. As the source can be identified by the displays of display areas 4112 to 4114 when a hard copy of the screen is made, it is possible to prevent leakage of information to outside. To be more specific, there is an effect of keeping a

25 user from making a hard copy since information on users who made a hard copy is displayed. Moreover, display areas 4111 to 4114 can also be displayed in FIG. 70 to

09784889 034204

FIG. 72 shown later.

Title area 4131 indicates "Cost cutting supporting data number list". List area 4133 displays, as to each base point, verification (purchase) data of part No.

5 higher-priced than other base points and verification data of part No. lower-priced than other base points. As the verification data, the number of such cases and kinds of the parts are displayed. For instance, it shows that there are 63 cases of part No. of mechanical  
10 parts higher-priced than other base points as to office B.

If mechanical parts download button 4134 is clicked on with a mouse while pressing the shift key on the keyboard, a user proceeds to step SDA4 via step  
15 SDA3 in FIG. 67 to perform downloading. If mechanical parts download button 4134 is clicked on, verification data of other base points can be downloaded as to part No. (parts) of mechanical parts higher-priced at office B than other base points. If electronic parts download  
20 button 4135 is clicked on, verification data of other base points can be downloaded as to part No. of electronic parts higher-priced at office B than other base points. If mechanical parts download button 4136 is clicked on, verification data of other base points  
25 can be downloaded as to part No. of mechanical parts lower-priced at office B than other base points. If electronic parts download button 4137 is clicked on,

097848800004001

verification data of other base points can be downloaded as to part No. of electronic parts lower-priced at office B than other base points. As for downloading, Web server 4001 in FIG. 65 receives  
5 verification data from operation machine 4006, and that verification data is downloaded from Web server 4001 to user computer 31 to be stored thereon.

FIG. 70 shows the verification data screen displayed on computer 31 after downloading.

10 Verification data list area 4141 displays company base point 4141a, part No. 4141b, process 4141c, drawing No. 4141d, supplier 4141e, verification date 4141f and currency 4141g of the part.

FIG. 71 is the verification data screen continued  
15 to the right of list area 4141 shown in FIG. 70. List area 4141 displays, in addition to the above items, verification total amount in corresponding month 4141h, latest verification unit price in local currency 4141i, verification total money value in local currency (total  
20 monthly sum) 4141j, average exchange rate of corresponding month (it is 1 if currency 4141g is Japanese yen) 4141k, latest verification unit price in yen equivalent (latest verification unit price in local  
25 currency  $\times$  average exchange rate) 4141l and verification total money value in yen equivalent (verification total money value in local currency  $\times$  average exchange rate) 4141m of the part.

09701399 021201

FIG. 72 is the verification data screen continued to the right of list area 4141 shown in FIG. 71. List area 4141 displays, in addition to the above items, difference of verification unit price in yen equivalent as to a compared part (verification unit price of the office - the lowest verification unit price of other offices) 4141n, difference of verification total money value in yen equivalent as to a compared part (difference of verification unit price x verification total amount) 4141o, unit price after cost cutting in local currency 4141p, input date 4141q and results of cost cutting negotiation 4141r of the part.

It is possible, by referring to difference of verification unit price 4141n and difference of verification total money value 4141o, to know a difference between a verification price of the office and those of other offices, which allows a judgment to be made on whether or not it is worth negotiating with a supplier over cost cutting. In the case where cost cutting is negotiated, users of the offices enter unit price after cost cutting 4141p, input date 4141q and results of cost cutting negotiation 4141r. If entered, it proceeds to step SDA5 in FIG. 67 to perform input processing. In results of cost cutting negotiation 4141r, "the price after cost cutting is applicable from Oct. 1988" for instance is entered in the case where the negotiation was successful, and a reason such as no

cost cutting is possible due to fixed prices is entered in the case where the negotiation was unsuccessful.

The offices can plan a strategy for the next cost cutting negotiation based on results of cost cutting negotiation 414lr.

Moreover, in the case where the cost cutting negotiation was successful, users of the offices enter unit price after cost cutting 414lp and input date 414lq on which they entered unit price after cost cutting 414lp and/or results of cost cutting negotiation 414lr.

When display in list area 4141 is terminated, it returns to step SDA2 in FIG. 67 and displays the list screen in FIG. 69. If upload button 4132 in FIG. 69 is clicked on with a mouse, it proceeds to step SDA6 via step SDA3 in FIG. 67 and performs uploading. To be more specific, verification data of list area 4141 shown in FIGS. 70 to 72 is uploaded from user computer 31 shown in FIG. 65 to Web server 4001. Web server 4001 receives the uploaded unit price after cost cutting and results of cost cutting negotiation and so on from user computer 31 and transfers them to operation machine 4006.

Next, in step SDA7 in FIG. 67, operation machine 4006 automatically collects price information of the base points based on the uploaded information to reflect it on data from the next month onward.

5 In FIG. 69, if menu button 4121, back page button  
4122, log-out button 4123, help button 4124 or mail  
button 4125 is clicked on with a mouse, it proceeds to  
step SDA8 via step SDA3 in FIG. 67. If menu button  
4121 is clicked on, it displays this list screen shown  
10 in FIG. 69. If back page button 4122 is clicked on, it  
returns to a preceding display screen. If log-out  
button 4123 is clicked on, the procurement system comes  
to an end. If help button 4124 is clicked on, it  
displays the help screen. If mail button 4125 is  
15 clicked on, mail transmission or a check of received  
mail can be performed. These buttons 4121 to 4125 can  
also be displayed on verification data screen displayed  
in FIGS. 70 to 72.

As above, in the case where there is variation in parts costs and product costs among the offices, cost cutting supporting system 5 can provide users of the offices with differences in costs as to the same parts among the offices. Each of the offices can efficiently negotiate cost cutting of the parts with a supplier by acquiring information on differences in costs between itself and other offices. And it is possible to effectively plan a strategy for the next cost cutting



negotiation by uploading results of the negotiation.

Moreover, cost cutting supporting system 5 can be applied not only to a past verification price but also to a master (estimated) price. It can also be applied to product prices in addition to parts prices.

[6. Procurement record system]

FIG. 73 is a block diagram showing configuration of procurement record system (dealing record information providing system) 6 illustrated in FIG. 1.

Procurement record system 6 has Web server 5001, application server 5002, Web DB server 5003 and operation machine 5004. DB server 5003 has D/B 6a (FIG. 1).

Each base point (office) computer 5011 stores its own verification data (including verification money value) and data for value (including sum of supply for value) and supplies them to operation machine 5004. Verification money values are prices of purchased parts and so on. Sum of supply for value is a price at which the company makes a purchase for value and delivers it to a supplier. A supplier is supplied for value for various reasons, such as the company purchasing parts collectively from a plurality of suppliers for cost reduction or intending to supply parts and so on in a stable manner. In addition, each base point computer 5011 is capable of accessing procurement record system 6.

Personnel department computer 5012 stores personnel data and that data is supplied to operation machine 5004. Personnel data includes information on personnel change, and procurement record system 6 can automatically change a department to which a registered user belongs. It can also erase registration of the changed user as required.

Moreover, operation machine 5004 should desirably receive the above information online via a network.

Operation machine 5004 receives the above information, and registers verification data and data for value on DB 6a in DB server 5003.

DB server 5003 has DB 6a and manages registration, deletion, update and search of that DB 6a. Application server 5002 stores a computer program and operates procurement record system 6 according to the computer program. Web server 5001 stores a computer program and performs unified screen display according to the computer program. Web server 5001 makes various requests to application server 5002 and receives its responses. Application server 5002 makes various requests to DB server 5003 and receives its responses. Each base point computer 5011 makes various requests to Web server 5001 and receives its responses. For instance, each base point user's computer 5011 instructs Web server 5001 to search for verification data or data for value in DB 6a on a predetermined

condition. Application server 5002 searches for verification data or data for value in DB 6a on a predetermined condition, and collects it for each first half, second half and year. Web server 5001 displays search results meeting the above condition on the screen of each base point computer 5011. The users of the base points can know verification data and data for value by base point, by supplier or by item.

FIG. 74 is a schematic diagram showing configuration of DB 6a in DB server 5003. DB 6a has verification data by base point/by supplier/by item 6aa, data for value by base point/by supplier 6ab, user information (user ID, password, user's belonging department, etc.) 6ac and security information 6ad.

FIG. 75 is a flowchart showing processing of procurement record system 6, and corresponds to processing of step S8 in FIG. 2. Step SEA1 displays the log-in screen shown in FIG. 77 on user computer 5011 (FIG. 73) waiting for input of a user ID and input of a password. A user can enter a user ID in area 5101 and a password in area 5102 in FIG. 77. Security can be enhanced and a log-in by an illicit person can be prevented by having user ID 5101 and password 5102 entered.

The following two measures are taken in order to enhance security as displayed in display area 5105.

(1) In the case where there is no access (log-in) for

00781889 021201

90 calendar days, the right to access (the right to log in) is automatically erased. In that case, an application for utilization must be submitted again on utilization. (2) A user must change a password once a month for security protection. A password can be changed by clicking on password change button 5104 with a mouse.

If a user clicks on log-in button 5103 with a mouse, and if the entered user ID and password are correct, the user is logged in and proceeds to step SEA2.

Step SEA2 displays a menu screen shown in FIG. 78. Display area 5111 indicates a date of information. Display area 5112 indicates a log-in user ID (user ID). Display area 5113 indicates a date of log-in. Display area 5114 indicates an IP address of log-in. Based on this IP address, the department to which the user belongs can be identified. As the source can be identified by the displays of display areas 5112 to 5114 when a hard copy of the screen is made, it is possible to prevent leakage of information to outside. To be more specific, there is an effect of keeping a user from making a hard copy since information on users who made a hard copy is displayed. For a general user, FIG. 79 rather than FIG. 78 is displayed after entering a password.

Menu items display "I. Procurement record

00781889 021201

search", "II. User maintenance" and "III. Preference information". If procurement record search display button 5131 is clicked on with a mouse, it proceeds to step SEA4 in FIG. 75 and performs search processing of procurement record. Search processing of procurement record searches for verification data or data for value meeting predetermined conditions and performs collection processing. If user maintenance update button 5132 is clicked on with a mouse, it proceeds to step SEA5 in FIG. 75 and performs user maintenance processing. The user maintenance processing refers to user information and log information registered in DB 6a or registers user information and security management. If preference information update button 5133 is clicked on with a mouse, it proceeds to step SEA6 in FIG. 75 and performs processing of preference information. Processing of preference information sets up information required for the procurement record system operation.

If menu button 5121, back page button 5122, log-out button 5123 or mail button 5124 is clicked on with a mouse, it proceeds to step SEA7 in FIG. 75 and performs other processing. If menu button 5121 is clicked on, it displays this list screen shown in FIG. 78. If back page button 5122 is clicked on, it returns to a preceding display screen. If log-out button 5123 is clicked on, the procurement system comes to an end.

If mail button 5124 is clicked on, mail transmission or a check of received mail can be performed.

FIG. 76 is a flowchart showing details of search processing of procurement record of step SEA4 shown in FIG. 75. Step SEB1 displays the search screen shown in FIG. 79. Display areas 5112 to 5114 and buttons 5121 to 5124 are the same as above. The search screen has collection method selection area 5141, condition input area 5142 and sub-menu for condition input area 5143.

FIG. 80 is an enlarged view of the above collection method selection area 5141. A user selects a method of collecting procurement records in collection method selection area 5141. Selection items displayed are "A. Purchase record by item and contact point", "B. Purchase record by item and supplier", "C. Purchase record by item and contact point and supplier", "D. Purchase record by item and supplier and contact point", "E. Purchase record by contact point and supplier", "F. Purchase record by contact point and supplier (supply for value)", "G. Purchase record by contact point and item", "H. Purchase record by contact point and supplier and item", "I. Purchase record by contact point and item and supplier", "J. Purchase record by supplier and contact point", "K. Purchase record by supplier and contact point (supply for value)", "L. Purchase record by supplier and item", "M. Purchase record by supplier and contact

FIG. 81 is an enlarged view of the above condition  
input area 5142 and sub-menu for condition input area  
5143. In condition input area 5142, business year of  
record, item, supplier, search area and search of  
contact point can be entered. Other than entering  
these conditions directly, it is possible to enter them  
by using sub-menu for condition input area 5143. For  
instance, if item button 5161 is clicked on with a  
mouse, sub-menu for condition input area 5143 displays  
item codes and names. A desired item can be selected  
out of this sub-menu for condition input area 5143.  
For instance, if button No. 29 in sub-menu for  
condition input area 5143 is clicked on with a mouse,  
"M290" is automatically entered as an item of condition  
input area 5142. A user can easily and simply enter a  
condition item by utilizing sub-menu for condition  
input area 5143. Sub-menu for condition input area  
5143 can also be utilized for a supplier condition. If  
clear condition button 5163 is clicked on with a mouse,  
a condition in condition input area 5142 can be  
cleared. If search button 5162 is clicked on with a  
mouse, it proceeds to step SEB2 in FIG. 76 and searches  
for procurement record (dealing record) information  
meeting the above condition. It then proceeds to step

SEB3 and displays the search results screen shown in FIG. 82.

FIG. 82 shows the search results screen. Displays areas 5112 to 5114 and buttons 5121 to 5124 are the same as above. The search results screen has search condition display area 5171 and search collection results area 5172.

FIG. 83 is an enlarged view of the above search condition display area 5171. Collection method display area 5181 displays a collection method selected in collection method selection area 5141. Search condition display area 5183 displays the condition entered in condition input area 5142 in FIG. 81. Price unit area 5183 displays the unit of the amount indicated in search collection results area 5172 in FIG. 82.

FIG. 84 is an enlarged view of search collection results area 5172 in FIG. 82. Search collection results area 5172 displays the amount of money meeting the above condition collected by base point, month, first half, second half and year. The amount of money is in the units of 1,000 yen for instance. A first half is January to June, and a second half is July to December for instance. If the amounts of the months are displayed in one horizontal line all the amounts cannot be displayed on one screen or on one sheet of paper so that they lie partly off the screen or sheet.



5 displaying the amounts of the year divided into a  
plurality of lines.

If menu button 5121, back page button 5122, log-out button 5123 or mail button 5124 in FIG. 82 is clicked on with a mouse, it proceeds to step SEB4 in FIG. 76 and performs the same processing of each button as above.

As above, the procurement record system searches for procurement record (dealing record) information of a predetermined condition and performs collection processing. This procurement record information includes verification money value and supplied sum for value. A user can plan various dealing strategies by referring to these collection results. For instance, the risk due to concentration on deals with a specific supplier can be avoided by performing collection for each individual supplier and calculating a ratio of dealing with each individual supplier, and thus a strategy for dispersing the ratio of dealing among suppliers can be planned. It is also possible to increase or decrease the number of suppliers based on the ratio of dealing with each individual supplier. In addition, it is possible to estimate or coordinate

future procurement by analyzing time-wise transition of procurement records.

FIG. 85 is a flowchart showing processing of procurement record data management system. This procurement record data management system is a system for managing procurement record data used in the above procurement record system 6. Step SEC1 displays the menu screen shown in FIG. 86. Menu items display "Registration", "Maintenance", "Term end processing", "Print", "Log information" and "End". If registration button 5191 is clicked on with a mouse, it proceeds to step SEC3 in FIG. 85 and performs registration processing. The registration processing registers records, records for value, items and supplier information. If maintenance button 5192 is clicked on with a mouse, it proceeds to step SEC4 in FIG. 85 and performs maintenance processing. The maintenance processing performs maintenance of a company base point table. If term end processing button 5193 is clicked on with a mouse, it proceeds to step SEC5 in FIG. 85 and performs term end processing. Term end processing deletes records and records for value data and backs up the deleted data. Details of term end processing will be described later by referring to FIG. 87. If print button 5194 is clicked on with a mouse, it proceeds to step SEC6 in FIG. 85 and performs print processing. The print processing prints items, corporation bases

and supplier information. If log information button 5195 is clicked on with a mouse, it proceeds to step SEC7 in FIG. 85 and performs log information processing. Log information processing outputs or  
5 deletes log information. If end button 5196 is clicked on with a mouse, it proceeds to step SEC8 in FIG. 85 and terminates the procurement record data management system.

FIG. 87 is a display screen of term end processing  
10 of the above step SEC5, and is displayed by clicking on term end processing button 5193 in FIG. 86 with a mouse. If all the past procurement record data is stored on DB 6a, the data amount becomes so much that search speed slows down and storage capacity of DB 6a  
15 becomes insufficient. Thus, procurement record data of four years ago or earlier is deleted and also backed up. DB 6a stores only procurement record data of past three years. The term end processing screen displays first area 5207 and second area 5208.

20 Year column 5201 automatically displays A.D of four years ago so as to delete procurement record data of four years ago in principle and back it up in text form. Year column 5201 can also have another year entered. Procurement record data is deleted by year.  
25 Moreover, it is also feasible to delete all the data at and before a predetermined point of time. First area 5207 displays a deletion check column, deleted data

5       selected. Second area 5208 displays a selection check  
column, name of data to be backed up in a text form and  
the number of cases. Data to be backed up can be  
selected by clicking on selection check column 5203  
with a mouse. To be more specific, supplier data, item  
10      data and/or corporation base data can be selected.

15 of a file to be backed up can be set. If button 5206 is clicked on with a mouse, it terminates term end processing.

20 data of four years ago and earlier so that space  
capacity of a storage device can be increased and  
search speed can be improved.

[7. Supplier card information system]

25 of supplier card information system (supplier card  
information providing system) 7 illustrated in FIG. 1.  
Supplier card information system 7 has Web server 6001,

Supplier 6011 enters supplier information on a  
5 supplier card that is a paper medium, and provides it  
to supplier card information system 7. Operation  
machine 6004 reads the supplier card that is a paper  
medium with image scanner 6005, and converts it into  
image information in GIF format to register it on DB 7a  
0 in DB server 6003. DB 7a has supplier name and so on  
registered in addition to image information of the  
supplier card.

DB server 6003 has DB 7a and manages registration, deletion, update and search of that DB 7a. Application server 6002 stores a computer program and operates supplier card information system 7 according to the computer program. Web server 6001 stores a computer program and performs unified screen display according

5            User computer 31 is a standard personal computer as a client for instance, and is capable of making various requests to Web server 6001 and receiving its responses. For instance, an instruction can be given to search for a supplier card of a desired supplier.

FIG. 89 is a schematic diagram showing configuration of DB 7a in DB server 6003. DB 7a has supplier information on each supplier 6020, user information (user ID, password, user's belonging department, etc.) 7ah and security information 7ai. Supplier information on each supplier 6020 includes supplier code 7aa, supplier name 7ab, supplier name (kana) 7ac, corporation code 7ad, card No. 7ae and registration year 7af in addition to image information of a supplier card 7ag.

FIG. 90 is a flowchart showing processing of the supplier card information system, and corresponds to

processing of step S9 in FIG. 2. Step SFA1 displays the log-in screen shown in FIG. 92 on user computer 31 (FIG. 88) waiting for input of a user ID and input of a password. A user can enter a user ID in area 6101 and a password in area 6102 in FIG. 92. Security can be enhanced and a log-in by an illicit person can be prevented by having user ID 6101 and password 6102 entered.

A user can change a password for security protection by clicking on password change button 6104 with a mouse. If a user clicks on log-in button 6103 with a mouse, and if the entered user ID and password are correct, the user is logged in and proceeds to step SFA2.

Step SFA2 displays the menu screen shown in FIG. 93. This is a screen not displayed to a general user but to an administrator. Display area 6111 indicates a date of information. Display area 6112 indicates a log-in user ID (user ID). Display area 6113 indicates a date of log-in. Display area 6114 indicates an IP address of log-in. Based on this IP address, the department to which the user belongs can be identified. As the source can be identified by the displays of display areas 6112 to 6114 when a hard copy of the screen is made, it is possible to prevent leakage of information to outside. To be more specific, there is an effect of keeping a user from making a hard copy

since information on users who made a hard copy is displayed.

Menu items display "I. Supplier card information search", "II. User maintenance" and "III. Preference information". If supplier card information search display button 6131 is clicked on with a mouse, it proceeds to step SFA4 in FIG. 90 and performs search processing of supplier card information. Search processing of supplier card information searches for and displays a supplier card meeting predetermined conditions. If user maintenance update button 6132 is clicked on with a mouse, it proceeds to step SFA5 in FIG. 90 and performs user maintenance processing. The user maintenance processing refers to user information and log information registered in DB 7a and registers user information and security management. If preference information update button 6133 is clicked on with a mouse, it proceeds to step SFA6 in FIG. 90 and performs processing of preference information. Processing of preference information sets up information required for the supplier card information system operation.

If menu button 6121, back page button 6122, log-out button 6123 or mail button 6124 is clicked on with a mouse, it proceeds to step SFA7 in FIG. 90 and performs processing of each button. If menu button 6121 is clicked on, it displays the menu screen shown



in FIG. 93. If back page button 6122 is clicked on, it returns to a preceding display screen. If log-out button 6123 is clicked on, the procurement system comes to an end. If mail button 6124 is clicked on, mail transmission or a check of received mail can be performed.

FIG. 91 is a flowchart showing details of search processing of supplier card information of step SFA4 shown in FIG. 90. Step SFB1 displays the search screen shown in FIG. 94. Displays in display areas 6112 to 6114 are the same as above. In condition input area 6141, year 6142, supplier code 6143, supplier name 6144 and supplier name in kana 6145 can be entered. Moreover, it is not necessary to enter all of supplier code 6143, supplier name 6144 and supplier name in kana 6145, but entering one of them is sufficient. The above conditions can be cleared by clicking on condition clear button 6147 with a mouse. In order to assist the above condition input, search button 6146 can be used. If search button 6146 is clicked on with a mouse, it displays the search results list 6152 on the right. Search results list 6152 displays a list of supplier codes, supplier names and supplier names in kana. A user can select a desired supplier out of search results list 6152. To be more specific, if supplier code button 6153 is clicked on with a mouse, it automatically displays supplier codes, supplier



worthwhile providing a user with image information of a supplier card of a paper medium read by an image scanner. In addition, it is highly worthwhile using image information based on a paper medium considering convenience thereof. It is also possible to receive supplier card information from a supplier by online communication of computers. However, it is preferable to receive a supplier card of a paper medium in the case there is a supplier with no computer communication equipment in place.

Year area 6177 displays a year in which the supplier card was registered. As for supplier cards, an updated one is submitted by a supplier each year. Therefore, there may be a plurality of supplier cards for each supplier each year. If a year is entered in year area 6177, it displays supplier card image of input year 6181. If another year is entered in year area 6177, it proceeds to step SFB5 via step SFB4 in FIG. 91 to search for a supplier card not based on a supplier (a supplier code) but based on a corporation (a corporation code). The reason will be described as follows. In the case where a plurality of supplier codes belong to one corporation code, that is, in the case where a plurality of offices (suppliers) belong to one company (corporation) for instance, there may be only one supplier card for the plurality of suppliers. There are also cases where a company organization is

changed. For instance, as shown in FIG. 96, company A (corporation) in 1997 had three suppliers of office A, office B and office C. However, there is a case where office C no longer exists and office D is newly

5 established in 1998. To be more specific, company A in 1998 had three suppliers of office A, office B and office D. In this case, if the year is switched to 1997 in a state of displaying office D's supplier card of 1998, there is no longer office D and it may cause  
10 inconvenience. Thus, in this case, it makes a search by switching the year based on a corporation code of office D (company A) and displays a supplier card of company A in 1997. After the search, it returns to step SFB3 in FIG. 91 and displays the supplier card.

15 In FIG. 95, if search screen button 6171, head page button 6172, previous page button 6173, next page button 6174, end page button 6175, expansion/reduction button 6176 or log-out button 6178 is clicked on with a mouse, it proceeds to step SFB6 via step SFB4 in FIG.  
20 91 and performs processing of each button. If search screen button 6171 is clicked on, it returns to step SFB1 in FIG. 91 and displays the search screen in FIG. 94. If head page button 6175 is clicked on, it displays a supplier card at the head of all supplier  
25 cards. If previous page button 6173 is clicked on, it displays a supplier card of a preceding page. If next page button 6174 is clicked on, it displays a supplier

00784000"02404  
F02T20"00T0260

card of a next page. If end page button 6175 is  
clicked on, it displays a supplier card at the end of  
all the supplier cards. If expansion/reduction button  
6176 is clicked on, it allows supplier card image 6181  
to be switched between expanded display and reduced  
display. If log-out button 6178 is clicked on, it  
terminates the procurement system.

As above, when starting a deal, a supplier is to  
fill in a supplier card and submit it. In the case of  
continuing to deal each year, the supplier card must be  
updated and submitted. These supplier cards are read  
by an image scanner to create image information, which  
is registered on DB 7a. A user within the company can  
view a desired supplier's supplier card and know  
supplier information listed on the supplier card by  
utilizing the supplier card information system.  
Supplier cards are collectively managed by supplier  
card information system 7 so that the respective users  
do not need to have them.

[8. Supplier map system]

FIG. 97 is a block diagram showing configuration  
of supplier map system (map information providing  
system) 8 illustrated in FIG. 1. Supplier map system 8  
has Web server 7001, operation machine 7002 and each  
base point computer 7005. Operation machine 7002 has  
DB 8a, SQL server 7003 and MapInfo server 7004.

Supplier 7011 supplies a research table listing

09781889.024204

factory information (including its own (supplier's) information as operator of the factory) to supplier map system 8. Each base point computer 7005 is a standard personal computer used by a person in charge for

5 instance. Factory information of the above research table is inputted on each base point computer 7005 to generate electronic-data factory information. Each base point computer 7005 supplies factory information to operation machine 7002. Moreover, it is also

10 possible for supplier 7011 to directly supply electronic-data factory information to operation machine 7002.

SQL server 7003 registers the above factory information on DB 8a. DB 8a stores map information and

15 lendable asset information in addition to factory information. Factory information and map information are stored in an associated manner. To be more specific, it allows a user to find where each factory is located on a map. SQL server 7003 manages

20 registration, search and so on of factory information and lendable asset information in DB 8a. MapInfo server 7004 manages registration, search and so on of map information in DB 8a.

Personnel department computer 7012 stores

25 personnel data and that data is supplied to operation machine 7002. Personnel data includes information on personnel change, and supplier map system 8 can

0070499-001004  
TOP SECRET

automatically change a department to which a registered user belongs. It can also erase registration of the changed user as required.

Operation machine 7002 stores a computer program and operates supplier map system 8 according to the computer program. Web server 7001 stores a computer program and performs unified screen display according to the computer program. Web server 7001 makes various requests to operation machine 7002 and receives its responses. Operation machine 7002 makes various requests to each base point computer 7005 and receives its responses.

User computer 31 is a standard personal computer as a client for instance, and is capable of making various requests to Web server 7001 and receiving its responses. For instance, an instruction can be given to search for a factory having predetermined factory equipment and located near the office (factory) to which the user belongs. Web server 7001 searches for a factory via operation machine 7002, and displays factory information and map information of that factory on the screen of user computer 31. The user can promptly acquire factory information and map information of the desired factory.

FIG. 98 is a schematic diagram showing configuration of DB 8a. DB 8a has factory information (including information on a supplier it belongs to)

8aa, map information 8ab, lendable asset information  
8ac, user information (user ID, password, user's  
belonging department, etc.) 8ad and security  
information 8ae. Factory information 8aa and map  
5 information 8ab are stored in a liked manner. Factory  
information 8aa includes equipment information by  
industry and by supplier (information on manufacturing,  
processing and searching equipment), secondary  
subcontractor information and subcontractor's supplier  
10 (any supplier for a subcontractor and thereunder)  
information.

FIG. 99 is a flowchart showing processing of the  
supplier map system, and corresponds to processing of  
step S10 in FIG. 2. Step SGA1 displays the log-in  
15 screen shown in FIG. 100 on user computer 31 (FIG. 97)  
waiting for input of a user ID and input of a password.  
A user can enter a user ID in area 7101 and a password  
in area 7102 in FIG. 100. Security can be enhanced and  
a log-in by an illicit person can be prevented by  
20 having user ID 7101 and password 7102 entered.

A user can change a password for security  
protection by clicking on password change button 7104  
with a mouse. If a user clicks on log-in button 7103  
with a mouse, and if the entered user ID and password  
25 are correct, the user is logged in and proceeds to step  
SGA2. Step SGA2 displays the registration status  
display screen shown in FIG. 101.

FIG. 99 is a flowchart showing processing of the  
supplier map system, and corresponds to processing of  
step S10 in FIG. 2. Step SGA1 displays the log-in  
screen shown in FIG. 100 on user computer 31 (FIG. 97)  
waiting for input of a user ID and input of a password.  
A user can enter a user ID in area 7101 and a password  
in area 7102 in FIG. 100. Security can be enhanced and  
a log-in by an illicit person can be prevented by  
having user ID 7101 and password 7102 entered.  
A user can change a password for security  
protection by clicking on password change button 7104  
with a mouse. If a user clicks on log-in button 7103  
with a mouse, and if the entered user ID and password  
are correct, the user is logged in and proceeds to step  
SGA2. Step SGA2 displays the registration status  
display screen shown in FIG. 101.



FIG. 101 shows registration status display screen. Map area 7131 displays a full-screen world map. If any point on the map is clicked on with a mouse, it redisplay the map by enlarging it by a zoom value entered in zoom area 7132 centering on the clicked-on point. If Japan is enlarged, a map can be displayed by prefecture. A zoom value is 500 to 42,000 km for instance. Collection table 7133 displays the number of factories totaled by industry in the regions displayed on map area 7131. The industries are mold, press and so on for instance. Totals by country or by prefecture are displayed according to zoom values. The total values are displayed as a bar graph at corresponding locations on map area 7131.

If search condition button 7134 is clicked on with a mouse, it proceeds to step SGA4 in FIG. 99 and displays the search condition/results display screen shown in FIG. 103. Also, if search path button 7135 is clicked on with a mouse, it proceeds to step SGA10 in FIG. 99 and displays the search path (input) screen shown in FIG. 109. In addition, if search factory (machining ordered) button 7136 is clicked on with a mouse, it proceeds to step SGA3 in FIG. 99 and displays the search factory (machining ordered) screen shown in FIG. 102.

FIG. 102 shows the search factory (machining ordered) screen of step SGA3 shown in FIG. 99. In

factory name area 7141, a name of a factory to be searched for is entered in katakana. A factory is equivalent to a subcontracted factory of a supplier. If search button 7142 is clicked on with a mouse, it searches for a factory name entered in factory name area 7141 by forward matching for instance, and displays it in search results area 7144. Search results area 7144 displays a list of factories searched for. To be more specific, search results area 7144 displays factory No., factory name, kind of factory, factory address, factory contact tel. No., supplier code and supplier name. Here, works A (factory) is equivalent to a subcontracted factory of works B (factory). To be more specific, it is possible to know a relationship between a supplier and its subcontracted factory. If registration status display button 7143 is clicked on with a mouse, it returns to step SGA2 in FIG. 99 and displays the registration status display screen in FIG. 101.

FIG. 103 shows the search condition/results display screen of step SGA4 shown in FIG. 99. As designation items of search condition, designation of supplier 7151, area designation 7152, designation of base of purchase 7153, business category 7154, machine facilities (including manufacturing and processing equipment) designation 7155, designation of inspection facilities and so on 7156 can be specified. It is

possible to narrow down factories to be searched by specifying these designations. In the case of specifying no designation item, all the factories are searched.

5           In designation of supplier 7151, one of "No condition", "Customer code" and "Customer name" can be specified. In area designation 7152, one of "No condition", "area designation" and "reference point designation" can be specified. "Area designation" can  
10           specify two regions under an OR condition. "Reference point designation" can search factories located within a specified radius from the company's factory that is a reference point. Scale (km) can be specified then.

          In designation of base of purchase 7153, a base of  
15           purchase can be specified. A search can be made based on delivery record information. In business category 7154, a business category can be specified. In machine facilities designation 7155, machine facilities and their specifications (equipment capacity) can be  
20           specified. Machine facilities include manufacturing and processing equipment. Machine facilities specifications are, for instance, the number of tons formable by injection molding equipment of resin molding. In designation of inspection facilities and  
25           so on 7156, inspection facilities and other facilities can be specified.

          If search start button 7157 is clicked on with a

mouse, it performs a search based on the above specified conditions, and displays a list of search results in search results area 7165 at the bottom. Moreover, if clear search condition button 7158 is  
5 clicked on with a mouse, the above specified conditions are cleared, and if help button 7159 is clicked on with a mouse, it proceeds to step SGA5 in FIG. 99 and displays the help screen shown in FIG. 104.

In search results area 7165 in FIG. 103, factories  
10 meeting the above specified conditions are displayed. To be more specific, search results area 7165 displays radio button, factory No., supplier code, Japanese/non-Japanese, supplier name, condition, factory code,  
15 factory name, factory location, kind of factory and business category. If Next button 7164 is clicked on with a mouse, it displays ten factories following the currently displayed ten factories. In the case where there are previous ten factories, the Prev button is displayed and if the Prev button is clicked on with a  
20 mouse, it displays preceding ten factories.

If display map button 7160 is clicked on with a mouse, it proceeds to step SGA6 in FIG. 99 and displays the map display screen shown in FIG. 105. Moreover, if display whole map button 7161 is clicked on with a  
25 mouse, it also proceeds to step SGA6 and displays the map display screen displaying the whole map shown in FIG. 105. Furthermore, if factory information button

7162 is clicked on with a mouse, it proceeds to step SGA7 and displays the factory information screen shown in FIG. 106. In addition, if search path button 7163 is clicked on with a mouse, it proceeds to step SGA9 and displays the search (select) path screen shown in FIG. 108.

FIG. 104 shows the help screen of step SGA5 shown in FIG. 99. The help screen displays explanation of the method of specifying search conditions on the search condition/results display screen of step SGA4 (FIG. 103). If "Return" button 7170 is clicked on with a mouse, it returns to step SGA4 in FIG. 99 and displays the search condition/results display screen in FIG. 103.

FIG. 105 shows the map display screen of step SGA6 shown in FIG. 99. Map area 7171 displays a map showing location of an applicable factory in the case where display map button 7160 or display whole map button 7161 is clicked on the search condition/results display screen in FIG. 103. In the case where a reference point is specified, it displays it with a zoom value of 5 km centering on the factory that is the reference point. In the case where scale is specified, it displays a circle on the specified scale centering on the factory that is the reference. In the case where no reference point is specified, it displays a map with a zoom value of 5 km centering on the specified

factory. In the case where display whole map button 7161 (FIG. 103) is clicked on, it displays all the searched factories.

In zoom area 7174, a zoom value can be entered in a range of 0.5 to 40,000 km for instance. In scale area 7175, in the case where scale is specified in "designated area" on the search condition/results display screen in FIG. 103, it displays that scale value. Map area 7171 displays a circle of that scale.

If any point in map area 7171 is clicked on, it displays a circle of a predetermined radius centering on the clicked-on point, and it searches for any factory in the circle and displays it. And in the case where a factory is clicked on with a mouse and selected, it proceeds to step SGA7 in FIG. 99 and displays the factory information screen in FIG. 106. On the other hand, in the case where a factory is not selected, it redisplay the map at a specified zoom value centering on the clicked-on point.

If "go to initial" button 7172 is clicked on with a mouse, it redisplay the above initial map area 7171. If "search condition" button 7173 is clicked on with a mouse, it returns to step SGA4 in FIG. 99 and displays the search condition/results display screen in FIG. 103.

FIG. 106 shows the factory information screen of step SGA7 shown in FIG. 99. The factory information

screen displays supplier overview 7181, factory  
overview 7182 and factory facilities 7183. Supplier  
overview 7181 displays information date, renewal date,  
supplier code, supplier name, Japanese/non-Japanese,  
5 member/non-member of the Global Collaboration  
Association, company situation, head office zip code,  
head office address, nationality, subject office name,  
capital, listing category, subcontractor category, home  
page URL, sales representative name, sales  
10 representative title, sales representative tel. No.,  
sales representative fax. No. and sales representative  
e-mail.

Factory overview 7182 displays research date,  
renewal date, factory code, factory name, kind of  
15 factory, Japanese/non-Japanese, capital, factory zip  
code, factory address, factory location, factory  
contact tel. No., number of employees, factory contact  
fax. No., major delivery item, business category and  
delivery record.

20 Factory facilities 7183 displays facility No.,  
facility, machine, specification (tonnage in the case  
of mold and press, mm in the case of ground materials  
and headers), press machine specifications, machine  
facilities maker name, machine type and equipped  
25 number.

If search condition button 7184 is clicked on with  
a mouse, it returns to step SGA4 in FIG. 99 and

00781800 021304

displays the search condition/results display screen in  
FIG. 103. Also, if secondary machining button 7185 is  
clicked on with a mouse, it proceeds to step SGA8 in  
FIG. 99 and displays the secondary machining screen in  
5 FIG. 107.

FIG. 107 shows the secondary machining screen of  
step SGA8 shown in FIG. 99. The secondary machining  
screen displays supplier overview 7191, factory  
overview 7192, and secondary machining and machinable  
10 special material 7193. Supplier overview 7191 displays  
the same items as supplier overview 7181 shown in FIG.  
106. Factory overview 7192 displays the same items as  
the factory overview shown in FIG. 106. Secondary  
machining and machinable special material 7193 displays  
15 secondary machining category name (PX (press), PX  
materials and so on) and secondary machining name (spot  
welding, arc welding and so on). A circle in the table  
indicates that there are machining track records in its  
own factory, a triangle indicates that there are  
20 machining track records only outside its own factory,  
and a double circle indicates that there are both  
machining track records. If to search condition button  
7194 is clicked on with a mouse, it returns to step  
SGA4 in FIG. 99 and displays the search  
25 condition/results display screen in FIG. 103.

FIG. 108 shows the path search (selection) screen  
of step SGA9 shown in FIG. 99. The path search



(selection) screen displays destination base 7201 and start base 7202. In the case where "reference point designation" is specified on the search condition/results display screen in FIG. 103,

5 destination base 7201 displays that base. In the case where no "reference point designation" is specified, it displays a predetermined base name. Start base 7202 displays total number of searched factories (Total), check boxes, No. of searched factories, business  
10 category, supplier code, supplier name and factory name. In destination base 7201, a desired destination base (the company's own factory for instance) can be entered or selected. In start base 7202, a desired start base (subcontracted factory of a supplier) can be  
15 selected by checking the above check boxes.

If path search button 7203 is clicked on with a mouse, it determines a check state of the above check boxes and displays an error message in the case where none is checked, and proceeds to step SGA1 in FIG. 99  
20 in the case where one or more is checked and displays the path display screen shown in FIG. 110. On the other hand, if search condition button 7204 in FIG. 108 is clicked on with a mouse, it returns to step SGA4 in FIG. 99 and displays the search condition/results  
25 display screen in FIG. 103.

FIG. 109 shows the path search (input) screen of step SGA10 shown in FIG. 99. The path search (input)

0978199 031304  
1012120 031304

screen displays path search (input) 7211 and supplier  
code search 7214. In path search (input) 7211, a  
destination base and a start base (a supplier code and  
a factory code) can be entered. The destination base  
5 and start base are the same as destination base 7201  
and start base 7202 shown in FIG. 108.

If path search button 7212 is clicked on with a  
mouse, it searches for a path based on the above  
entered destination base, supplier code and factory  
10 code, and proceeds to step SGA1 in FIG. 99 and displays  
the path display screen shown in FIG. 110. Also, if  
registration status display button 7213 is clicked on  
with a mouse, it returns to step SGA2 in FIG. 99 and  
displays the registration status display screen in FIG.  
15 101.

In supplier code search 7214, a radio button of  
either supplier name 7215 or supplier code 7216 is  
clicked on, and supplier name 7215 or supplier code  
7216 is entered. Next, if supplier search button 7217  
20 is clicked on with a mouse, it searches for any factory  
belonging to the supplier based on supplier name 7215  
or supplier code 7216, and displays it in search  
results area 7218. This search results area 7218  
displays supplier code, supplier name, factory code and  
25 factory name as search results. It is possible to  
easily enter supplier code and factory code of path  
search (input) 7211 by referring to search results area

7218.

FIG. 110 shows the path display screen of step  
SGA11 shown in FIG. 99. Map area 7221 displays a map  
on which the destination base factory and start base  
5 factories specified on the path search (selection)  
screen in FIG. 108 or on the path search (input) screen  
in FIG. 109 are all displayed. Map area 7221 also  
indicates the path from each of the start base  
factories to the destination base factory in a red  
10 solid line, and indicates the path distance between  
them and required time therefor by car on that path.

In zoom area 7224, a zoom value can be entered in  
a range of 0.5 to 3,000 km for instance. If any point  
in map area 7221 is clicked on with a mouse, it  
15 redisplay the map by a zoom value entered in zoom area  
7224 centering on the clicked-on point.

If "go to initial" button 7222 is clicked on with  
a mouse, it returns to display of initial map area 7221  
before entering the zoom value. "Search condition"  
20 button 7223 will be explained. In the case where it  
shifted from the path search (selection) screen of step  
SGA9 in FIG. 99 to the path display screen of step  
SGA11, if "search condition" button 7223 is clicked on  
with a mouse, it returns to step SGA4 and displays the  
25 search condition/results display screen in FIG. 103.  
On the other hand, in the case where it shifts from the  
path search (input) screen of SGA10 in FIG. 99 to the

path display screen of step SGA11, if "search condition" button 7223 is clicked on with a mouse, it returns to step SGA2 and displays the registration status display screen shown in FIG. 101.

5           Next, lendable asset location information will be explained. For instance, a mold used for mold working is a lendable asset and it is lent to a supplier or a factory. For instance, when a supplier or the like is about to go bankrupt, it is important to grasp lendable  
10       asset location information since such assets must be collected. Mold (lendable asset) No., No. of materials used for mold working, Part No. of parts completed by mold working, factory code of a factory where mold  
15       working was performed and supplier code of a supplier are registered on DB 8a, and so it is possible to search for location information of that mold and provide a user with the location of that mold on the map. The user can immediately collect necessary  
20       lendable assets based on that location information.

20           Also, in the case where a disaster such as an earthquake occurs, it is highly likely that factories around there will not function. In that case, it is possible, by regarding the location of disaster  
25       occurrence as a reference point and searching factories within its predetermined radius, to find information on the factories likely to suffer damage and take disaster measures.

00784899 "034204  
F002000000000000

As above, it is possible, by linking factory information (including supplier information) with map information and storing it on a database, to know map information based on factory information and also to know factory information based on map information. For instance, it is possible to search factories based on factory location information and factory facilities information so as to inform a user of a factory meeting the search condition. It is also possible to indicate a path from a start base to a destination base and inform the user of the path distance and required time therefor.

[9. Supplier sales system]

FIG. 111 is a block diagram showing configuration of supplier sales system 9 illustrated in FIG. 1. Supplier sales system 9 has Web server 8001, application server 8002, Web DB server 8003 and operation machine 8004, conversion DB server 8005, mail server 8006 and administrator computer 8007. DB server 8003 has DB 9a.

Each supplier computer 8011 sends application form for utilization of supplier sales system 9 to administrator computer 8007. According to that application for utilization, administrator computer 8007 provides (sends) a setup program for performing sales based on supplier sales system 9 to supplier computer 8011. Supplier computer 8011 can send its

(supplier's) sales information to operation machine 8004 by installing that setup program. Sales information is the latest parts information, substitutive parts information or clerk information, for instance. On receipt of sales information, operation machine 8004 registers the information on DB 9a in DB server 8003. Also, if operation machine 8004 receives new sales information, mail server 8006 informs user computer 31 of arrival of the latest sales information by mail.

Personnel department computer 8012 stores personnel data and that data is supplied to operation machine 8004. Personnel data includes information on personnel change, and supplier sales system 9 can automatically change a department to which a registered user belongs. It can also erase registration of the changed user as required.

DB server 8003 manages registration, search, deletion and so on for DB 9a. On receipt of sales information from supplier computer 8011, operation machine 8004 instructs conversion DB server 8005 to update DB 9a as required. Conversion DB server 8005 processes an update, creates a log file and requests operation machine 8004 to transfer data. Operation machine 8004 updates DB 9a in DB server 8003 accordingly.

Application server 8002 stores a computer program

007081000 004004

and operates supplier sales system 9 according to the computer program. Web server 8001 stores a computer program and performs unified screen display according to the computer program. Web server 8001 makes various requests to application server 8002 and receives its responses. Application server 8002 makes various requests to DB server 8003 and receives its responses.

User computer 31 is a standard personal computer as a client for instance, and is capable of making various requests to Web server 8001 and receiving its responses. For instance, user computer 31 can give Web server 8001 an instruction to search for and view desired sales information. Web server 8001 searches for sales information in DB 9a via application server 8002, and displays that sales information on the screen of user computer 31. A user can promptly acquire the desired sales information. In addition, based on the sales information, user computer 31 can send mail to supplier computer 8011 and access a supplier's home page to display the information.

FIG. 112 is a schematic diagram showing configuration of DB 9a. DB 9a has sales information including parts sales information 9aa, substitutive parts information 9ab, welcome news information 9ac and clerk information 9ad, and besides, user information (user ID, password, user's belonging department, etc.) 9ae and security information 9af.

FIG. 113 is a flowchart showing the supplier sales information registration process on supplier computer 8011 (FIG. 111). Step SHA1 displays the menu screen shown in FIG. 114. Menu items display "1. Electronic parts information", "2. Welcome news information" and "3. Clerk information". If electronic parts information registration button 8131 is clicked on with a mouse, it proceeds to step SHA2 in FIG. 113 and displays the parts information registration screen shown in FIG. 115. Also, if welcome news information registration button 8132 is clicked on with a mouse, it proceeds to step SHA5 in FIG. 113 and displays the welcome news information registration screen shown in FIG. 118. In addition, if clerk information registration button 8133 is clicked on with a mouse, it proceeds to step SHA6 in FIG. 113 and displays the clerk information registration screen shown in FIG. 119. After that, if transmission button 8134 is clicked on with a mouse, it transmits registered information of the above three sales information items from supplier computer 8011 in FIG. 111 to operation machine 8004. If end button 8135 is clicked on with a mouse, it terminates the process. Moreover, the above electronic parts information is an example of parts information and is applicable to other parts information such as mechanical parts and material information.



FIG. 115 shows the parts information registration screen of step SHA2 shown in FIG. 113. On the parts information registration screen, parts information 8141, country of origin 8142, schedule information 8143 and introduction sentences 8144 can be registered. In parts information 8141, title, type name, maker and function classification can be entered. In country of origin 8142, previous process country, next process country, controlled substance and product state can be entered. In schedule information 8143, maintenance schedule, abolition schedule, sample schedule and specification schedule can be entered. Flag 8145 shows a progress flag (completion of transmission, object of transmission, wait for admission, rejection of admission) and a deletion flag. If registered by setting the progress flag at "object of transmission", inputted information becomes transmittable. If transmitted with the deletion flag checked, the registered contents can be deleted.

If clear of input information button 8149 is clicked on with a mouse, it can clear the above input information. If registration button 8150 is clicked on with a mouse, it can register the above input information. If end button 8151 is clicked on with a mouse, it returns to step SHA1 in FIG. 113 and displays the menu screen in FIG. 114. If part No. information button 8147 is clicked on with a mouse, it proceeds to

step SHA3 in FIG. 113 and displays the part No.  
information registration screen shown in FIG. 116. If  
substitution information button 8148 is clicked on with  
a mouse, it proceeds to step SHA4 in FIG. 113 and  
5 displays the substitution information registration  
screen shown in FIG. 117.

FIG. 116 shows the part No. information  
registration screen of step SHA3 shown in FIG. 113. On  
the part No. information registration screen, parts  
10 information 8161, in-company part No. information 8162,  
article information 8163 and reference price/month 8164  
can be registered. In parts information 8161, title,  
type name, maker and function classification can be  
entered. in-company part No. information 8162, part  
15 No. and size can be entered. In article information  
8163, package, quality standard information, production  
information, delivery date information, delivery  
packing form, environmental consideration, currency and  
unit of quantity can be entered. Flag 8145 shows a  
20 progress flag (completion of transmission, object of  
transmission, wait for admission, rejection of  
admission) and a deletion flag.

If clear of input information button 8149 is  
clicked on with a mouse, it can clear the above input  
25 information. If registration button 8150 is clicked on  
with a mouse, it can register the above input  
information. If end button 8151 is clicked on with a

mouse, it returns to step SHA1 in FIG. 113 and displays the menu screen in FIG. 114. If parts information button 8146 is clicked on with a mouse, it returns to step SHA2 in FIG. 113 and displays the parts information registration screen shown in FIG. 115. If substitution information button 8148 is clicked on with a mouse, it proceeds to step SHA4 in FIG. 113 and displays the substitution information registration screen shown in FIG. 117.

FIG. 117 shows the substitution information (substitutive parts information) registration screen of step SHA4 shown in FIG. 113. On the substitution information registration screen, parts information 8171 and substitution information 8172 can be registered. In parts information 8171, title, type name, maker and function classification can be entered. In substitution information (substitutive parts information) 8172, substitutable type name, maker name and substitution condition can be entered. A supplier can offer parts and products substitutable for parts and products of other makers. Flag 8145 shows a progress flag (completion of transmission, object of transmission, wait for admission, rejection of admission) and a deletion flag.

If clear of input information button 8149 is clicked on with a mouse, it can clear the above input information. If registration button 8150 is clicked on

with a mouse, it can register the above input  
information. If end button 8151 is clicked on with a  
mouse, it returns to step SHA1 in FIG. 113 and displays  
the menu screen in FIG. 114. If parts information  
5 button 8146 is clicked on with a mouse, it returns to  
step SHA2 in FIG. 113 and displays the parts  
information registration screen shown in FIG. 115. If  
part No. information button 8147 is clicked on with a  
mouse, it proceeds to step SHA3 in FIG. 113 and  
10 displays the part No. information registration screen  
shown in FIG. 116.

FIG. 118 shows the welcome news information  
registration screen of step SHA5 shown in FIG. 113. On  
the welcome news information registration screen,  
15 welcome news information 8181 can be registered. In  
welcome news information 8181, contents of information,  
covered period, title, details, home page address and  
desirable information deletion date can be entered. As  
the above contents of information, in addition to  
20 introduction of new products, news/topics from the  
company, journal/catalog, holding guidance of  
exhibition/seminar, latest technical information  
(unique technology), introduction of new facilities,  
situation of production/sales, market trends  
25 (tight/redundant parts), environmental warranty  
measures and so on can be selected (entered). If  
registration button 8150 is clicked on with a mouse, it

FIG. 118

can register the above input information. If end button 8151 is clicked on with a mouse, it returns to step SHA1 in FIG. 113 and displays the menu screen in FIG. 114.

5           FIG. 119 shows the clerk information registration screen of step SHA6 shown in FIG. 113. On the clerk information registration screen, clerk information 8191, in-house territory and business 8192, main handling items to our company 8193, handling maker 8194 and comments 8195 can be registered. In clerk information 8191, name, e-mail (electronic mail) address, title, clerk code, position, contact address, tel. No., fax No. and home page address can be entered. Flag 8196 shows a transmission flag (object of transmission, completion of transmission) and a deletion flag. If registration button 8150 is clicked on with a mouse, it can register the above input information. If end button 8151 is clicked on with a mouse, it returns to step SHA1 in FIG. 113 and displays the menu screen in FIG. 114.

FIG. 120 is a flowchart showing processing of supplier sales system 9 on receipt of sales information from a supplier. In step SHB1, operation machine 8004 (FIG. 111) receives sales information registered and sent by the above supplier. In step SHB2, operation machine 8004 registers the received sales information on DB 9a in DB server 8003. In step SHB3, operation

machine 8004 informs administrator computer 8007 (FIG. 111) of supplier sales system 9 of the number of received pieces of sales information by mail every day. Operation machine 8004 also informs user computer 31 (FIG. 111) of an outline of newly provided sales information by mail. Each individual user can specify a type of information to be received by mail. For instance, a person in charge of electronic parts does not need information on mechanical parts and is allowed to receive only information on electronic parts by mail. A user can learn an outline of the latest sales information from the mail and further learn details thereof by accessing supplier sales system 9 described next.

FIG. 121 is a flowchart showing processing of supplier sales system 9 on access by a user. If user computer 31 (FIG. 111) accesses supplier sales system 9, supplier sales system 9 performs the following process. Step SHC1 displays the log-in screen shown in FIG. 122 on user computer 31 (FIG. 111) waiting for input of a user ID and input of a password. A user can enter a user ID in area 8201 in FIG. 122 and a password in area 8202. Security can be enhanced and a log-in by an illicit person can be prevented by having user ID 8201 and password 8202 entered.

A user can change a password for security protection by clicking on password change button 8204

09704389 021204

with a mouse. If a user clicks on log-in button 8203 with a mouse, and if the entered user ID and password are correct, the user is logged in and proceeds to step SHC2. Step SHC2 displays the menu screen shown in FIG. 123.

FIG. 123 shows the menu screen of step SHC2 in FIG. 121. Display area 8111 indicates a date of information. Display area 8112 indicates a log-in user ID (user ID). Display area 8113 indicates a date of log-in. Display area 8114 indicates an IP address of log-in. Based on this IP address, the department to which the user belongs can be identified. As the source can be identified by the displays of these display areas 8112 to 8114 when a hard copy of the screen is made, it is possible to prevent leakage of information to outside. To be more specific, there is an effect of keeping a user from making a hard copy since information on users who made a hard copy is displayed.

Menu items 8211 displays "1. Latest parts sales information", "2. Search of substitutive parts information", "3. Latest welcome news information" and "4. Latest supplier clerk information and search of information". A user can select a desired one of these four items. If item No. 1 is selected, it proceeds to step SHC3 in FIG. 121 and displays the parts information list screen. If item No. 2 is selected, it

proceeds to step SHC6 in FIG. 121 and displays the substitutive parts information search screen shown in FIG. 126. If item No. 3 is selected, it proceeds to step SHC9 in FIG. 121 and displays the welcome news information list screen shown in FIG. 129. In item No. 4, if either "Latest supplier clerk information" or "Latest supplier clerk search" is selected, it proceeds to step SHC12 in FIG. 121 and displays the supplier clerk information list screen in FIG. 133 or the supplier clerk information search screen in FIG. 132.

Step SHC3 in FIG. 121 displays the parts information list screen. The parts information list screen is the same as the list screen in FIG. 128 shown later, and displays a list of parts information. On that list screen, if the parts information search button is clicked on with a mouse, it proceeds to step SHC4 and displays the parts information search screen shown in FIG. 124. Also, if the details display button of predetermined parts information is clicked on with a mouse, it proceeds to step SHC5 and displays the parts information details screen shown in FIG. 125.

FIG. 124 shows the parts information search screen of step SHC4 in FIG. 121. Display areas 8111 to 8114 have the same indication as above. If menu button 8121 is clicked on, it displays the menu screen shown in FIG. 123. If back page button 8122 is clicked on, it returns to a preceding display screen. If log-out



button 8123 is clicked on, the procurement system comes to an end. If mail button 8124 is clicked on, mail transmission or a check of received mail can be performed.

5           In search condition input area 8221, business category, maker code, maker name, type name, function classification code, parts state, controlled substance, country of origin: pre-process, country of origin: post-process, supplier code, supplier name, our part  
10       No. and update date can be entered. If "Reference" of each item is clicked on with a mouse, it searches for and displays each item, and so a desired item can be easily entered. The above conditions can be cleared by clicking on clear button 8223 with a mouse. If search  
15       button 8222 is clicked on with a mouse, it searches for parts information meeting the above conditions, proceeds to step SHC3 in FIG. 121 and displays the parts information list screen. If display of predetermined parts information details is instructed  
20       on the parts information list screen, it proceeds to step SHC5 in FIG. 121 and displays the parts information details screen shown in FIG. 125.

FIG. 125 shows the parts information details screen of step SHC5 shown in FIG. 121. Displays areas  
25       8111 to 8114 and buttons 8121 to 8124 are the same as above. Parts information details displays area 8231 displays title, type name, maker, business category,

function classification, information No., supplier  
name, supplier code, administrator division, clerk  
name, clerk code, country of origin: pre-process,  
country of origin: post-process, controlled substance,  
5 product state, maintenance schedule, abolition  
schedule, sample schedule, specification schedule,  
introduction sentences, our part No., our size and  
package.

FIG. 126 shows the substitutive parts information  
10 search screen of step SHC6 shown in FIG. 121. Displays  
in display areas 8111 to 8114 and buttons 8121 to 8124  
are the same as above. In search condition input area  
8241, type name for substitutive search, function  
classification code for substitutive search and maker  
15 name for substitutive search can be entered. The above  
conditions can be cleared by clicking on clear button  
8244 with a mouse. If search button 8243 is clicked on  
with a mouse, it searches for a substitutive part  
meeting the above input conditions and proceeds to step  
20 SHC7 to display the substitutive parts information list  
screen shown in FIG. 128.

Moreover, if "Reference" area 8242 of the above  
function classification code is clicked on with a  
mouse, it proceeds to step SHC16 in FIG. 121 and  
25 displays the code help screen shown in FIG. 127. In  
condition input area 8251, table, search item, match  
type and search keyword can be entered. If search

05321889 024204

button 8252 is clicked on with a mouse thereafter, it searches for and displays a function classification code and so on meeting the above input conditions. Thus, a function classification code and so on can be more easily entered. Items other than a function classification code can also be searched for.

FIG. 128 shows the substitutive parts information list screen of step SHC7 shown in FIG. 121. Displays in display areas 8111 to 8114 and buttons 8121 to 8124 are the same as above. List area 8266 shows a list of substitutive parts information meeting the above input conditions. To be more specific, list area 8266 shows update date, search type name, function classification, maker, substitutive part type name and maker and so on. If previous list button 8261 is clicked on with a mouse, it displays a list preceding the currently displayed substitutive parts information. If a first number of substitutive parts information to be displayed is entered in first number area 8262 and button 8263 is clicked on with a mouse, it displays substitutive parts information from that first number. If sort item 8264 is entered and sort button 8265 is clicked on with a mouse, it displays substitutive parts information sorted in that order of items. If any substitutive parts information button 8267 is clicked on with a mouse, it proceeds to step SHC8 in FIG. 121 and displays the substitutive parts information details

5

10

15

20

25

button 8286 is clicked on with a mouse, it proceeds to step SHC10 in FIG. 121 and displays the welcome news information search screen in FIG. 130.

FIG. 130 shows the welcome news information list screen of step SHC10 shown in FIG. 121. Displays in display areas 8111 to 8114 and buttons 8121 to 8124 are the same as above. In condition input area 8271, business category, supplier code, supplier name, information contents, title and update date can be entered. If "Reference" area 8272 of each item is clicked on with a mouse, it proceeds to step SHC16 in FIG. 121 and displays the code help screen (FIG. 127). In addition, the above conditions can be cleared by clicking on clear button 8275 with a mouse. After entering conditions, if search button 8274 is clicked on with a mouse, it searches for welcome news information meeting the above input conditions, proceeds to step SHC9 in FIG. 121 and displays the welcome news information list screen in FIG. 129.

FIG. 131 shows the welcome news information details screen of step SHC11 shown in FIG. 121. Displays in display areas 8111 to 8114 and buttons 8121 to 8124 are the same as above. Details display area 8291 displays details of predetermined welcome news information specified above. To be more specific, details display area 8291 displays supplier name, supplier code, position name, administrator division

code, clerk name, clerk code, business category,  
information number, information contents, home page  
address, title, detailed sentences, covered period  
(starting date), covered period (ending date) and  
5 desirable deletion date. In principle, supplier sales  
system 9 deletes the welcome news information from DB  
9a on the desirable deletion date. If search screen  
button 8292 is clicked on with a mouse, it returns to  
step SHC10 in FIG. 121 and displays the welcome news  
10 information search screen in FIG. 130.

FIG. 132 shows the supplier clerk search screen of  
step SHC12 shown in FIG. 121. Displays in display  
areas 8111 to 8114 and buttons 8121 to 8124 are the  
same as above. In condition input area 8301, business  
15 category, supplier code, supplier name, handling maker  
code and handling maker name can be entered. If  
"Reference" area 8302 of each item is clicked on with a  
mouse, it proceeds to step SHC16 in FIG. 121 and  
displays the code help screen (FIG. 127). In addition,  
20 the above conditions can be cleared by clicking on  
clear button 8304 with a mouse. Furthermore, if search  
button 8303 is clicked on with a mouse, it searches for  
supplier clerk information meeting the above input  
conditions, proceeds to step SHC13 in FIG. 121 and  
25 displays the supplier clerk list screen shown in FIG.  
133.

FIG. 133 shows the supplier clerk list screen of

step SHC13 shown in FIG. 121. Displays in display areas 8111 to 8114 and buttons 8121 to 8124 are the same as above. List area 8311 displays a list of supplier clerk information meeting the above input conditions. To be more specific, list area 8311 displays supplier clerk information No., update date, supplier code, supplier name, business category, clerk name, tel. No., e-mail address and administrator mark. If each clerk information e-mail address area 8313 is clicked on with a mouse, it proceeds to step SHC17 in FIG. 121 and mail can be transmitted to that e-mail address. Moreover, if each clerk information No. button 8312 is clicked on with a mouse, it proceeds to step SHC14 in FIG. 121 and displays the supplier clerk details screen in FIG. 134. Also, if search screen button 8314 is clicked on with a mouse, it returns to step SHC12 in FIG. 121 and displays the supplier clerk search screen in FIG. 132.

FIG. 134 shows the supplier clerk details screen of step SHC14 shown in FIG. 121. Displays in display areas 8111 to 8114 and buttons 8121 to 8124 are the same as above. Details display area 8321 displays details of predetermined supplier clerk information specified above. To be more specific, details display area 8321 displays business category, supplier name, supplier code, position name, administrator department code, clerk title, administrator mark, clerk name,

address, zip code, tel. No., fax No.; e-mail address,  
home page address, territory or office, major handling  
product, handling maker, comments, update date and date  
of application for participation. If e-mail address  
5 area 8322 is clicked on with a mouse, it proceeds to  
step SHC17 in FIG. 121 and mail can be transmitted to  
that e-mail address. Moreover, if home page address  
area 8323 is clicked on with a mouse, it proceeds to  
step SHC15 in FIG. 121 and displays the home page of  
10 that home page address. Also, if search screen button  
8324 is clicked on with a mouse, it returns to step  
SHC12 in FIG. 121 and displays the supplier clerk  
search screen in FIG. 132.

As above, a supplier can actively perform sales to  
15 supplier sales system 9. An employee of the company  
having supplier sales system 9 can view sales  
information from the supplier without being limited by  
time and distance. It is also possible to exploit a  
valuable information source in a significant manner by  
20 sharing sales information from the supplier. The  
employee of the company can also know the latest trends  
and information without visiting a supplier, and thus  
advance action can be taken. Supplier sales system 9  
also supports sales activities of the supplier, and the  
25 supplier can register and send sales information so  
that it will be collectively provided to all the  
employees.

09/24/2009 09:44:04



In addition, when information that production of a certain part will be stopped is received, if the information is provided to a database for creating an engineering drawing of a design department in the company, that design department can delete the part from design objects so that it will not be used in future.

Moreover, the above sales information can be applied not only to parts information but also to material information and product information.

Furthermore, while the above sets forth an example of indicating a home page address of a supplier which displays its home page if that address is specified, it is also possible, if the supplier's home page has an applicable product guide or the like, to indicate the home page address so that the home page of the product guide or the like indicated by the address will be displayed when that address is specified.

It is also possible to register information via the Internet, dividing the suppliers into those which have dealings with the company (contracted) and those which have no dealing yet. In addition, it is possible to arrange it so that an addressee in-house (by department, etc.) can be specified on registration. It also is possible, via the Internet in this case, to register, change and delete a supplier card information system, a supplier map system, part or product type

name, maker information, environmental information and so on.

[10. Bulletin board mail system]

FIG. 135 is a block diagram showing configuration of bulletin board mail system 10 illustrated in FIG. 1. Bulletin board mail system 10 has Web server 9001 and script server 9002, and can be divided into a bulletin board information providing system and a supplier evaluation system. Web server 9001 stores a computer program and operates the bulletin board information providing system according to the computer program so as to provide first service 9003 and second service 9004. First service 9003 has a computer conference service. Second service 9004 has services such as a member list, conferences information, minutes list, free talk and online manuals. First service 9003 and second service 9004 are bulletin board information on parts or materials. Script server 9002 stores a computer program and operates the supplier evaluation system according to the computer program so as to provide third service 9005. Third service 9005 has a supplier evaluation service.

User computer 31 can, by accessing Web server 9001, exchange opinions with other members via first service (computer conference) 9003 and view various data via second service (member list, etc.) 9004. Also, each base point user computer 31 inputs

evaluation score of each supplier on a supplier  
evaluation sheet and sends it to script server 9002.  
On receipt of supplier evaluation sheets from the base  
points, script server 9002 automatically totals the  
5 evaluation score inputted on the supplier evaluation  
sheets of all the base points. User computer 31 can  
view and exploit evaluation results of each supplier by  
receiving them from script server 9002 by mail and  
accessing script server 9002.

10 FIG. 136 is a flowchart showing processing of the  
bulletin board information providing system (Web server  
9001). If user computer 31 (FIG. 135) accesses Web  
server 9001 (board information providing system), the  
bulletin board information providing system performs  
15 the following process. Step SIA1 displays the log-in  
screen shown in FIG. 139 on user computer 31 waiting  
for input of a user ID and input of a password. A user  
can enter a user ID in area 9101 in FIG. 139 and a  
password in area 9102. Security can be enhanced and a  
20 log-in by an illicit person can be prevented by having  
user ID 9101 and password 9102 entered.

A user can change a password for security  
protection by clicking on password change button 9104  
with a mouse. If a user clicks on log-in button 9103  
25 with a mouse, and if the entered user ID and password  
are correct, the user is logged in and proceeds to step  
SIA2. Step SIA2 displays the menu screen shown in FIG.

00781889 "021201  
F0220" 68878760

140.

FIG. 140 shows the menu screen of step SIA2 shown in FIG. 136. Display area 9131 shows a title. Display area 9132 shows the access number. Menu area 9133 displays, as selection menu items, "1. Computer conference", "2. Member list", "3. Conferences information", "4. Minutes list", "5. Free talk", "6. Online manual" and "7. Support contact point". If each number is selected, it proceeds to one of step SIA4 to SIA10 via the determination step of step SIA3.

If No. 1 is selected, it proceeds to step SIA4 and performs a computer conference process. The computer conference process is a bulletin board system for the purpose of exchanging information, a user can freely write on it and all the other users can see the contents of the writing. If No. 2 is selected, it proceeds to step SIA5 and performs a member list process. The member list process displays a member list of each organization. If No. 3 is selected, it proceeds to step SIA6 and performs a conferences information process. The conferences information process provides bulletin board information on conferences. If No. 4 is selected, it proceeds to step SIA7 and performs a minutes list process. The minutes list process stores minutes of conferences so that a user can view them. If No. 5 is selected, it proceeds to step SIA8 and performs a free talk process. The

free talk process is a bulletin board system for the purpose of exchanging information freely, and a user can freely write on it and all the other users can share the contents of the writing. If No. 6 is  
5 selected, it proceeds to step SIA9 and performs an online manual process. The online manual process provides an instruction manual on an operation method of the bulletin board information providing system. If No. 7 is selected, it proceeds to step SIA10 and  
10 performs a support contact point process. The support contact point process informs the user of how to contact a support contact point of the bulletin board information providing system so that an inquiry by e-mail to the support contact point will be possible.

15 FIG. 137 is a flowchart showing processing of a computer conference of step SIA4 shown in FIG. 136. Step SIB1 displays the menu screen of the computer conference shown in FIG. 141. Displays in display areas 9131 to 9133 are the same as above. Selection  
20 menu items of the computer conference display new chat 9141, per category 9142, per creator 9143 and date order 9144. If each item is selected, it proceeds to one of the steps SIB3 to SIB6 via the determination step of step SIB2. If per category 9142 is selected,  
25 it proceeds to step SIB3 to perform processing per category. If processing per creator 9143 is selected, it proceeds to step SIB4 to perform processing per

creator. If date order 9144 is selected, it proceeds to step SIB5 to perform processing in date order. If new chat 9141 is selected, it proceeds to step SIB6 to perform processing per new chat.

5           FIG. 138 is a flowchart showing details of processing per category of step SIB3 shown in FIG. 137. Step SIC1 displays the computer conference per category screen shown in FIG. 142. Displays in display areas 9131 to 9133 are the same as above. Per category area 10   9154 lists and displays computer conference items classified per category. If words to be searched are entered in input box 9151 and search button 9152 is clicked on with a mouse, it searches for any computer conference having a document with the entered words and 15   displays it in per category area 9154. If a desired computer conference item area in per category area 9154 is clicked on with a mouse, it proceeds to step SIC3 via the determination step of step SIC2 in FIG. 138, and displays the chat contents screen shown in FIG. 20   143.

FIG. 143 shows the chat contents screen of step SIC3 shown in FIG. 138. Displays in display areas 9131 to 9133 are the same as above. Chat contents area 9161 displays chat contents in the computer conference 25   selected above. If per category area 9162 is clicked on with a mouse, it returns to step SIC1 in FIG. 138 and displays the per category screen in FIG. 142.

Also, if per creator area 9163 is clicked on with a mouse, it proceeds to step SIB4 in FIG. 137. Moreover, if date order area 9164 is clicked on with a mouse, it proceeds to step SIB5 in FIG. 137. In addition, when  
5 responding to a document of this computer conference, if response area 9165 is clicked on with a mouse, it proceeds to step SIC4 in FIG. 138 and displays the response screen shown in FIG. 144.

FIG. 144 shows the response screen of step SIC4  
10 shown in FIG. 138. Displays in display areas 9131 to 9133 are the same as above. On the response screen, title 9171, creator 9172 and response contents 9173 can be entered. After entry, if send button 9177 is  
15 clicked on with a mouse, it returns (transmits) the entered contents. Moreover, if per creator area 9174 is clicked on with a mouse, it returns to step SIC1 in FIG. 138 and displays the per category screen in FIG. 142. Furthermore, if per creator area 9175 is clicked on with a mouse, it proceeds to step SIB4 in FIG. 137.  
20 In addition, if date order area 9176 is clicked on with a mouse, it proceeds to step SIB5 in FIG. 137.

On per category screen shown in FIG. 142, if new chat area 9153 is clicked on with a mouse, it proceeds to step SIC5 via step SIC2 in FIG. 138, and displays  
25 the new chat screen shown in FIG. 145. It also displays the new chat screen shown in FIG. 145 in step SIB6 in FIG. 137.

FIG. 145 shows the new chat screen. Displays in display areas 9131 to 9133 are the same as above. On the new chat screen, must input items 9181, input item 9182 and chat contents 9183 can be entered. In must

5

input items 9181, title, creator and category can be entered. In input items 9182, supplier code, supplier name, maker code, maker name, part No. and type name can be entered. If reset button 9185 is clicked on with a mouse, the entered contents can be reset.

10

Moreover, if registration button 9184 is clicked on with a mouse, it proceeds to step SIC6 in FIG. 138 and displays the registration screen shown in FIG. 146.

FIG. 146 shows the registration screen of step SIC6 shown in FIG. 138. Displays in display areas 9131 to 9133 are the same as above. The above registered chat contents are transmitted, and are registered and reflected in a computer conference approximately five minutes later. If reread approximately five minutes thereafter, the transmitted contents will be displayed on the bulletin board. If per category area 9191 is clicked on with a mouse, it returns to step SIC1 in FIG. 138 and displays the per category screen in FIG. 142. Moreover, if per creator area 9192 is clicked on with a mouse, it proceeds to step SIB4 in FIG. 137. In addition, if date order area 9193 is clicked on with a mouse, it proceeds to step SIB5 in FIG. 137.

15

20

25

While details of processing per category of step

09731339 021204



5      conferences are displayed per creator and in date  
order.

136. Displays in display areas 9131 to 9133 are the same as above. The member list screen displays each organization member list 9201. For instance, member list 9201 indicates member No., title, office, department, section, name and so on.

information area 9213 lists and displays conference information items. To be more specific, conference information area 9213 displays notes and issuance date of each item. If words to be searched are entered in

information having a document with the entered words  
25 and displays it in conference information area 9213.

If a desired conference information item in conference information area 9213 is clicked on with a mouse, it

displays the conference information contents screen shown in FIG. 149.

FIG. 149 shows the conference information contents screen. Displays in display areas 9131 to 9133 are the same as above. Conference information 9221 displays conference information contents such as date and time, place, agenda and so on of a conference. This conference information 9221 can also be printed.

FIG. 150 is a flowchart showing processing of a supplier evaluation system. In step SID1, if a user requests input of supplier evaluation sheet, the evaluation sheet input screen shown in FIG. 151 is displayed on user computer 31. The user enters supplier to be evaluated 9231, evaluator 9232 and supplier evaluation score 9241. In evaluation score 9241, to be more specific, quality evaluation score 9233, cost evaluation score 9234, delivery evaluation score 9235, service (sales ability) evaluation score 9236 and technology evaluation 9237 are entered. A service score is for instance, whether or not it can cope with design change of a drawing, or evaluation of service in the case it can cope with the change. Evaluation scores 9233 to 9237 are evaluated on a scale of 10 respectively, for instance. Also, the evaluator has only to check the evaluation items in addition to entering evaluation scores, and evaluation scores can also be automatically given based on these check items.

If send button 9238 is clicked on with a mouse, it proceeds to step SID2 in FIG. 150 and sends an evaluation sheet to script server 9002 (FIG. 135). Moreover, the above input can be cleared by clicking on clear button 9239 with a mouse. Furthermore, if end button 9240 is clicked on with a mouse, it terminates the process.

FIG. 152 is a flowchart showing processing of the supplier evaluation system performed by script server 9002 (FIG. 135). In step SIE1, script server 9002 receives the above evaluation sheet from each base point user computer 31. Step SIE2 automatically totals evaluation sheets received from each base point, calculates evaluation score per supplier, and ranks the suppliers. Step SIE3 displays the evaluation results screen shown in FIG. 153 on user computer 31 according to requests from users. Evaluation results table 9251 displays supplier ranking, supplier name and total evaluation score. A user can know total evaluation score of each supplier including other base points and consider future measures. Moreover, the above evaluation results 9251 can also be transmitted to user computer 31 by e-mail.

As above, the bulletin board information providing system provides a user with bulletin board information on parts or materials including computer conference, member list, conferences information, minutes list and

5 information providing system, the user accesses  
different computer conference, member list, conferences  
information, minutes list, free talk, online manual and  
support contact point for each organization that the  
user belongs to or for each kind of parts or materials  
0 handled by the user. For instance, they can be divided  
into electronic parts and mechanical parts.

15

20

25

possible based on that procurement information. It is also possible, by collectively receiving and placing orders of the offices, to purchase parts or materials in large quantity at low prices.

- 5           Procurement system 13 can meet the following requirements in a development department of a company.
- (1) To know parts and materials used by other offices.
- (2) To select most suitable parts and materials from wide-ranging information. (3) To acquire information
- 10           on substitutive parts. (4) To acquire new product information early.

- Also, procurement system 13 can meet the following requirements in a procurement department of a company.
- (1) To know purchase unit prices and suppliers of the
- 15           offices as to the same parts and materials. (2) To know information on substitutive parts promptly. (3)
- To know ability (produced types and quantity, for instance) and situation (including social trends inclusive of market conditions) of a supplier. (4) To
- 20           know purchase situation of the entire group of the company.

- What is implemented by supplying a program code of software for implementing the functions of the above embodiments to a system and operating the above various
- 25           devices according to the program stored in a computer (CPU or MPU) of the system is also included in the category of the present invention.

09781889 021201  
1024201

In this case, the program code itself of the above software implements the functions of the above-mentioned embodiments, and thus the program code itself and the means of supplying the program code to the computer, that is, a record medium storing such a program code for instance comprise the present invention. For a record medium to store such a program code, a floppy disk, a hard disk, an optical disk, a magneto-optical disk, a CD-ROM, a magnetic tape, a nonvolatile memory card, a ROM and so on can be used, for instance.

Any of the above embodiments shows merely an example of crystallizations in implementing the present invention, which should not lead to interpretation of technical scope of the present invention in a limited manner. To be more specific, the present invention can be implemented in various forms without deviating from its idea or its major characteristics.

As described above, the present invention allows procurement information on parts, materials and so on to be acquired promptly and easily so that they can be selected and procured promptly and efficiently. Large companies can acquire procurement information of their offices and purchase parts or materials at as low prices as possible based on that procurement information. It is also possible, by collectively receiving and placing orders of the offices, to

purchase parts or materials in large quantity at low prices.

0978189 "021201  
T02T20" 688T8/60